Google scholar

| ldap mapping sql relational database | Search |

Advanced Scholar Search
Scholar Preferences

Scholar | Articles and patents | | - | 2003 | include citations |

Results **1** - **100** of about **542**. (**0.33** sec)

Method of hierarchical **LDAP** searching with **relational** tables
DW Bachmann, CF Corn, LG Fichtner, RA ... - US Patent ..., 2000 - Google Patents
... Other **database** management systems used different **SQL** semantics ... These and other objects
of the invention are provided by **mapping** entries in a naming hierarchy into first and ... 4A, an **LDAP**
client 34 can connect to a number of networked **databases** 38a-38« through an **LDAP** ...
Cited by 27 - Related articles - All 2 versions

[PDF] Grid enabled **relational database** middleware
195.194.110.249 [PDF]
W Hoschek, G McCance - Global Grid Forum, 2001 - 195.194.110.249
... we have a catalog table holding all physical locations of any logical file (1:N **mapping**). ... without
breaking the clients (maybe we use **SQL database** or a flat file, or an **LDAP database**). ... a small
text file that contains a single substitution variable {@query} for the entire **SQL** statement ...
Cited by 27 - Related articles - View as HTML - All 36 versions

... access protocol (**LDAP**) search queries with structured query language (**SQL**)
CF Corn, LG Fichtner, RA Mancisidor, SB ... - US Patent 6,356,892, 2002 - Google Patents
... On the one hand, because both **LDAP** and **SQL** use the same AND, OR and NOT logical
operators, one possible solution to implementing **LDAP** search queries with **SQL** might simply
involve **mapping** each **LDAP** opera- tor to its corresponding **SQL** operator. ...
Cited by 7 - Related articles - All 2 versions

[BOOK] **SQL**: 1999-Understanding **Relational** Language Components
J Melton, AR Simon - 2001 - books.google.com
... 13 1.2.5 Extending the **Relational** Model with Object-Oriented Capabilities 14 1.2.6 Other
Database Models 15 1.3 **Database** Languages 16 ... to **SQL**:1999 23 2.1 Introduction 23 2.2 **SQL**
History and Background 23 2.2.1 **SQL** Versus Competing **Relational** Languages 23 ...
Cited by 161 - Related articles - All 4 versions

[PDF] Storage techniques and **mapping** schemas for XML
psu.edu [PDF]
S Amer-Yahia - SIGMOD Record, 2003 - Citeseer
... In [26], theauthorsdevelopstack-basedalgorithms with linear prop- erties to compute children
and descendants of entities in **LDAP**. ... <xsd:schema xmlns:xsd="http://www.w3.org/XMLSchema"
xmlns:**sql**="urn:schemas-microsoft:**mapping**-schema"> <xsd:element name ...

Cited by 15 - Related articles - View as HTML - All 3 versions

An introduction to the e-xml data integration suite

psu.edu [PDF]

G Gardarin, A Mensch, A Tomasic - Lecture notes in computer science, 2002 - Springer
... XQuery queries are appropriate for querying, in an interoperable way, **LDAP** directories. ... DBMSs
to support storage of XML documents in tables and publication of **SQL** query results ... Most RDBMSs
suppliers are proposing simple solutions to **map** flat XML to tables and tables to ...
Cited by 16 - Related articles - BL Direct - All 9 versions

[PDF] Overview of existing XML storage techniques

168.188.128.62 [PDF]

S Amer-Yahia, M Fernandez - submitted for publication, 2002 - 168.188.128.62
... should be explored further with more flexible mappings and a more comprehensive XQuery to
LDAP query translation. ... With the exception of Microsoft **SQL** server, which also implements
theEdgeapproach in Section 3.1, no automatic support for schema **mapping** is provided ...
Cited by 10 - View as HTML

System and method for accessing a directory services respository

DT Ferguson - US Patent 6,016,499, 2000 - Google Patents
... ODBC DRIVER 46, 102 **LDAP** API 46,92 NDS API 48, 104 **LDAP** REPOSITORY 48 ... provides access
to a reposi- directory handling, printing, security enforcement, and drive **mapping** changes ... and
method which make repository information accessible to tools that use **SQL** and/or ...
Cited by 28 - Related articles - All 2 versions

[PDF] Key concepts and services of a grid information service

psu.edu [PDF]

B Plale, P Dinda, G von Laszewski, IN ... - Proceedings of the 15th ..., 2002 - Citeseer
... While directory ser- vices are generally focused at the network level, that is, **mapping** a hostname
to an IP ... **LDAP** falls into this category. ... **Relational** and object oriented **databases** sup- port a
standardized and powerful access method like Structured Query Language (**SQL**). ...
Cited by 62 - Related articles - View as HTML - All 15 versions

A **mapping** schema and interface for XML stores

psu.edu [PDF]

S Amer-Yahia, D Srivastava - ... of the 4th international workshop on ..., 2002 - portal.acm.org
... API **relational** schema creation XQUERY to **SQL** translation ... In this design, **LDAP** entities are stored
in two forms: a textual form that ... 3.3 Default **Mapping** Rules We chose to make the specication
of MXM short and concise and enforce the following default **mapping** rules: (1) If not ...
Cited by 13 - Related articles - All 18 versions

Managing scientific metadata

MB Jones, C Berkley, J Bojilova, ... - IEEE Internet ..., 2001 - doi.ieeecomputersociety.org
... interfaces to RDMS-housed metadata, raw data storage (File system), and authentication services
(**LDAP**). ... 8 We intend to provide a **mapping** that will enable ecological research sites ... By adhering
to standardized **SQL**, we avoid committing to any proprietary implementation, and ...
Cited by 67 - Related articles - BL Direct - All 7 versions

Knowledge management: linking people to knowledge for bottom line results

S Offsey - Journal of Knowledge Management, 1997 - ingentaconnect.com

... Knowledge **Map** ... Using **LDAP** allows the Knowledge Management system to access user rights and information, without requiring administrators to ... access by supporting standard protocols such as Open **Database** Connectivity (ODBC) and Structured Query Language (**SQL**). ...

Cited by 85 - Related articles - All 4 versions

[PDF] An enterprise directory solution with DB2

ibm.com [PDF]

SSB Shi, E Stokes, D Byrne, CF ... - IBM Systems ..., 2000 - researchweb.watson.ibm.com

... **mapping** of the **LDAP** query language to **SQL** (Struc- tured Query Language) given the defined relations, the access control model to provide authorization in the **LDAP** directory service, an identified set of items implemented to further enhance performance, and ...

Cited by 19 - Related articles - View as HTML - BL Direct - All 12 versions

LDAP, Databases and Distributed Objects: Towards a better integration

T Delot, P Dechamboux, B Finance, Y ... - **Databases** in ..., 2001 - books.google.com

... or not, to offer better performance or to avoid too many interactions between the different accesses via **SQL** or **LDAP**. ... This wrapper offers to users, a **LDAP** vision on legacy **relational** data. Building a **mapping** between the **relational** model and the **LDAP** model is not easy. ...

Cited by 4 - Related articles - BL Direct - All 5 versions

Implementing persistent object services (POS) on top of a relational database

AS Aldridge, SN Murthy, GS Rulong, T Xu - US Patent 6,470,354, 2002 - Google Patents

... a persistent object service (POS) that can interface with all of the major different types of **relational databases** including, for example, Oracle, Sybase, MS-**SQL** Server, Informix ... BRIEF SUMMARY OF THE INVENTION It is a general feature of the invention to **map** data between ...

Cited by 4 - Related articles - All 2 versions

[PDF] LDAP Directory Services: Just Another Database Application?

psu.edu [PDF]

S Shukla, A Deshpande, I Pune - SIGMOD RECORD, 2000 - Citeseer

... Text encoding for names and attributes $Direct **mapping** to TCP/IP $Simpler client API ... "**LDAP** schema – mapped to a **relational** table "Indexes for Directory and DB "Typical **LDAP** Queries and their equivalent **SQL** queries $DN-based retrieval $Attribute-based retrieval ...

Cited by 3 - Related articles - View as HTML - BL Direct

Optimization of relational database queries

BK Aldred - US Patent 6,175,836, 2001 - Google Patents

... on X.500 although, the precise nature of the X.500 to **relational database mapping** is not ... to this disclosure; many possibilities exist and the details are complex.} Similarly, **LDAP** protocol operations need to be mapped into the **relational** operations supported by **SQL**. ...

Cited by 5 - Related articles - All 2 versions

[PDF] A unified relational approach to grid information services

psu.edu [PDF]

P Dinda, B Plale - Grid Forum Informational Draft GWD-GIS-012-1, 2001 - Citeseer
... To do their work of **mapping** applications to Grid resources, Grid schedulers generate frequent
and complex queries over diverse resources ... The syntax of an **LDAP**-style query language requires
that the user state the starting, or top-most, node of a query's ... Full **SQL** query support ...
Cited by 55 - Related articles - View as HTML - All 37 versions

A Framework for **SQL** Conformance Test
LMLQY Xikun, YJYXW Jianmin - Computer Engineering and ..., 2003 - en.cnki.com.cn
... Fuyang(Beijing institute of System and Engineering, Beijing 100101);**SQL** Conformance Test ...
Huazhong University of Science and Technology,Wuhan 430074,China);**LDAP**-Based
Organization ... University of Technology,Xi'an Shaanxi 710048,China);A **Mapping** Algorithm from ...
Cited by 3 - Cached

[PDF] An Introduction to Zope
woodpecker.org.cn [PDF]
B Lloyd - Disponível por WWW em http://www. devshed. com/ ..., 1999 - woodpecker.org.cn
... URLs **map** naturally to objects in the hierarchical Zope environment based on their names. ... can
include RDBMS data as well as non– **relational** data from sources such as **LDAP** or IMAP ... object
for the type of **database** you are using, then begin creating **SQL** Method objects ...
Cited by 5 - Related articles

[HTML] An infrastructure for integrated electronic health record services: the role of ...
nih.gov [HTML]
DG Katehakis, S Sfakianakis, M ... - Journal of Medical ..., 2001 - pubmedcentral.nih.gov
... profiles, patient clinical information, and healthcare resources), dedicated Structured Query
Language (**SQL**)/ODBC-**LDAP** ... The International Telecommunication Union's (ITU) X.500 and
LDAP are the most ... for each type of clinical information source, and each **mapping** follows a ...
Cited by 29 - Related articles - All 20 versions

Cache-and-query for wide area sensor **databases**
psu.edu [PDF]
A Deshpande, S Nath, PB Gibbons, S ... - Proceedings of the 2003 ..., 2003 - portal.acm.org
... 2 For example, an object-**relational** wide area sensor **database** would face many of the same
issues ... style name for any needed IDable node solely from the information in the site **database**,
and then ... A key feature of this design is that the **mapping** of IDable nodes to IP addresses ...
Cited by 112 - Related articles - All 33 versions

Bringing the enterprise into a **database** systems course
TK Moore - Proceedings of the 33rd SIGCSE technical symposium ..., 2002 - portal.acm.org
... it displays the tables that students have created in previous assignments, and the **SQL** statement
that ... interesting discussions of entity-relationship modeling and **mapping** objects to **relational** tables. ...
to be very obscure to students until they have experience using **LDAP** and JNDI. ...
Cited by 5 - Related articles - BL Direct - All 4 versions

... and system for implementing persistent object services on a **relational database**
AS Aldridge, SN Murthy, GS Rulong, T ... - US Patent App. 10/ ..., 2002 - Google Patents

... instance of the object, is mapped to one or more tables in a **relational database** based on ... If the object inherits from another object, the **mapping** creates multiple tables, a top level table ... storing an object by converting persistent object operations to a sequence of **SQL** statements. ...
Cited by 1 - Related articles - All 4 versions

[PDF] Dynamic querying of streaming data with the dQUOB system   psu.edu [PDF]
B Plale, K Schwan - IEEE Transactions on Parallel and Distributed ..., 2003 - Citeseer
... 5 **Mapping Database** Queries to Data Streams dQUOB models event data transfer and provides a software system by which one can create computational entities to manipulate data streams. ... Data is retrieved from a **relational database** by means of **SQL** queries. ...
Cited by 61 - Related articles - View as HTML - BL Direct - All 23 versions

[PDF] **Relational** Grid Monitoring Architecture (R-GMA)   gridpp.ac.uk [PDF]
A Cooke, W Nutt, J Magowan, P Taylor, ... - Proceedings of UK e ..., 2003 - naasp.gridpp.ac.uk
... We provide a mechanism to specify those records of a table to delete by means of a user specified **SQL** WHERE clause which is executed at intervals ... Both GIN and GOUT are driven by configuration files which define the **map**- ping between the **LDAP** schema and the ...
Cited by 7 - Related articles - View as HTML - All 27 versions

[HTML] Collection-based persistent digital archives-part 1   dlib.org [HTML]
R Moore, C Baru, A Rajasekar, B Ludaescher, R ... - D-Lib Magazine, 2000 - dlib.org
... The join algorithm uses Steiner Tree generation of **SQL** commands from a directed acyclic graph; the DAG ... A **mapping** is being developed to translate from the MAPS structure to the Z39.50 format ... it is possible to store the meta-data in **databases**, flat files, or **LDAP** directories [23 ...
Cited by 69 - Related articles - Cached - All 8 versions

[PDF] GridRM: an extensible resource monitoring system   psu.edu [PDF]
M Baker, G Smith - IEEE International Conference on Cluster Computing, 2003 - Citeseer
... underway, including **relational** [18], XML [19] and **LDAP** [20] versions. 3.1.5 The Event Manager ... 14 For example, to retrieve all data values associated with the group 'Processor', the **SQL** ... data source driver is responsible for **mapping** between GLUE and the actual values to be ...
Cited by 36 - Related articles - View as HTML - All 9 versions

[PDF] Metadata++: A Scalable Hierarchical Framework for Digital Libraries   psu.edu [PDF]
M Weaver, L Delcambre, T Tolle - Lecture Notes in Computer Science, 2003 - Citeseer
... Server 2003 Standard Edition and Microsoft **SQL** Server © 2000 Enterprise Edition ... relation described in [4, 8]. LegoDB [2] takes a novel approach to **mapping** XML into ... The Lightweight Directory Access Protocol (**LDAP**) [9, 13] defines basic directory services for a hierarchically ...
Cited by 5 - Related articles - View as HTML - BL Direct - All 7 versions

Prof GP Hancke   up.ac.za [PDF]
SC Rimer - 2003 - upetd.up.ac.za
... Format (LDIF) is used to import and export directory information between **LDAP**-based directory ...
ie **SQL** instructions are used to access, define and manipulate the data in a **relational database**.

The **SQL** used in this implementation is ANSI or standard **SQL** and only relevant ...

... unstructured data into structured data for **SQL** processing by **a relational database** ...
A Choi, TL Leyba, B Porst, AR ... - US Patent App. 10/394,842, 2003 - Google Patents
... data sources and return the appropriate data but would then rely on the **relational** engine to ...
Extended search field **mapping** would be used to normalize the foreign keys in the nickname
tables ... this fashion it would now be possible to pose the following query in **SQL**: TABLE VISA ...
Related articles - All 6 versions

Object Oriented XML Query by Example
K Bohrer, X Liu, S McLaughlin, E Schonberg, ... - Lecture notes in ..., 2003 - Springer
... Each **mapping** table is used to translate XML-QBE queries into the appropriate target
query language, such as **SQL** for **relational** backends, **LDAP** query language, or XQuery
for XML document repositories. Page 2. 324 K. Bohrer et al. ...
Related articles - BL Direct - All 3 versions

Support for RDBMS in **LDAP** system
SP Ghatare - US Patent App. 10/682,575, 2003 - Google Patents
... Store the **SQL** equivalent statements in sql_child_nodes_list 1004 For **SQL** Server: AndSQLStmt =
"SELECT ... the Invention [0003] The present invention is directed to technology for **mapping** data
so ... For example, some Identity Systems are designed to work with **LDAP** directories. ...
All 2 versions

[PDF] Optimizing XML Path Queries over **Relational Databases**   psu.edu [PDF]
MC Pilar - 2002 - Citeseer
... 46 3.8 From the Document Navigator to **SQL** . . . . 55 3.11 **Mapping** the XML document in
Figure 1.1 into the Extended ToX Rela- tional **Mapping** Scheme . . . . Among them, **Relational**
Database Management Systems (RDBMS) are mature enough to ...
Related articles - View as HTML - All 5 versions

[PDF] Collection-based persistent archives   psu.edu [PDF]
A Rajasekar, R Marciano, R Moore - 2000 - Citeseer
... The join algorithm uses Steiner Tree generation of **SQL** commands from a directed acyclic graph;
the DAG ... A **mapping** is being developed to translate from the MAPS structure to the Z39.50 format ...
it is pos- sible to store the meta-data in **databases**, flat files, or **LDAP** directories [15 ...
Cited by 38 - Related articles - View as HTML - All 7 versions

[PDF] Taking the step from meta-information to communication middleware in ...   psu.edu [PDF]
B Plale, P Widener, K Schwan - IEEE Heterogeneous Computing ..., 2001 - Citeseer
... interest in the HPC community through applications like DNS and the **LDAP**/X.500 protocols,
has a procedural query language that historically ... This paper focuses on a framework for **mapping**
from the high-level conceptualization of **relational** schemas and **SQL** queries to ...
Cited by 2 - Related articles - View as HTML - All 11 versions

[PS] Directories: Managing Data for Networked Applications

D Srivastava - ICDE, Los Alamos, California, USA, 2000 - re.kvasir.no

... Directories Page 20. Distributed **Relational Databases** Distributed query evaluation uses
server-server communication ... queries: joins Distributed **SQL** evaluation chaining. Divesh Srivastava ...
Directories Page 21. **LDAP** Directory: Access Control Many users access directory data ...
Cited by 4 - Related articles - View as HTML - All 9 versions

Metacat: A schema-independent XML **database** system

C Berkley, M Jones, J Bojilova, ... - ... Statistical **Database** ..., 2001 - doi.ieeecomputersociety.org

... schemas of the XML documents must be predetermined to allow for the **mapping** to a ... Our
expectation was that the performance difference between the **SQL** statements in Listing 2 ... an
existing authentication system such as a Lightweight Directory Access Protocol (**LDAP**) server. ...
Cited by 19 - Related articles - All 7 versions

Timber: A native XML **database**

HV Jagadish, S Al-Khalifa, A Chapman, LVS ... - The VLDB journal, 2002 - Springer

... XML queries are converted into **SQL** queries over the rela- tionaltables,andevensimpleXMLq
ueriesoftengettranslated into expensive sequences of joins in the underlying **relational database**. ...
1 would **map** the lecturer elements to a table, and store TA elements as ...
Cited by 378 - Related articles - All 51 versions

Relational grid monitoring architecture (R-GMA)

R Byrom, B Coghlan, AW Cooke, R Cordenonsi, ... - Arxiv preprint cs/ ..., 2003 - arxiv.org

... We provide a mechanism to specify those records of a table to delete by means of a user specified
SQL WHERE clause which is executed at intervals ... Both GIN and GOUT are driven by configuration
files which define the **map**- ping between the **LDAP** schema and the ...
Cited by 3 - Related articles - View as HTML - All 3 versions

Nondeterministic queries in a **relational** grid information service

PA Dinda, D Lu - Proceedings of the ACM/IEEE ..., 1917 - doi.ieeecomputersociety.org

... MDS2 is based on **LDAP** and defines a schema (the attribute types) that can be associated with ...
thentication of the user and check of his capabilities for each request, **mapping** from an external ...
Queries take the form of select statements written in a slightly extended form of **SQL**. ...
Cited by 16 - Related articles - All 19 versions

[PDF] Storage and querying of e-commerce data

R Agrawal, A Somani, Y Xu - PROCEEDINGS OF THE INTERNATIONAL ..., 2001 - Citeseer

... in this pa- per include stores for XML [7], RDF [1], KBMS [15], **LDAP** [19] and ... Writing **SQL** queries
against this scheme becomes very cumbersome and error-prone ... on top of the vertical
representation of the data and query rewrite algorithms to convert **relational** algebra operators ...
Cited by 126 - Related articles - View as HTML - BL Direct - All 27 versions

Translating data access requests

SP Ghatare - US Patent App. 10/682,252, 2003 - Google Patents
... 12 determine the attribute **mapping** class for the attribute in the simple expression •900 convert ...
Store the **SQL** equivalent statements in sql_child_nodes_list 1004 1040 For **SQL** Server:
AndSQLStmt ... For example, some Identity Systems are designed to work with **LDAP** directories ...
All 2 versions

[PDF] R-GMA: First results after deployment
A Cooke, W Nutt, J Magowan, M Oevers, P ... - Proceedings of the ..., 2003 - Citeseer
... We provide a mech- anism to specify those records of a table to delete by means of a user
specified **SQL** WHERE clause which is executed at intervals ... Both GIN and GOUT are driven by
configuration files which define the **mapping** between the **LDAP** schema and the ...
Cited by 3 - Related articles - View as HTML - All 23 versions

X. 500 system and methods
RH Harvey - US Patent 6,052,681, 2000 - Google Patents
... Cooke BE et al, "Directory Services in the HP **Map** 3.0 Environment" Hewlett-Packard Journal,
vol ... X.500 services can be invoked via a number of protocols, such as X.500 and **LDAP**. ... a table
which lists X.500 products currently available, none of which use a **SQL data base** as an ...
Cited by 17 - Related articles - All 6 versions

Representing dynamic performance information in grid environments with the ...
M Swany, R Wolski - 2nd IEEE International ..., 2002 - doi.ieeecomputersociety.org
... This allows them to be consistently stored in a **SQL database** or to be queried via **SQL**. ... that could
ameliorate the need for that many requests, in the general case, a full **map** is often ... via the NWS
API (the C language interface to the NWS) and access via the caching **LDAP** server. ...
Cited by 38 - Related articles - All 12 versions

[PDF] Integrating software engineering tools and repositories with XML and XSLT
H Hedberg - Proceedings of the fourth ICSE workshop on software ..., 2001 - Citeseer
... Important data could be located in a hierarchical directory service using **LDAP** (Lightweight
Directory Access ... Also, XSLT has been seen as a potential **mapping** language for semantic data
conversions, although it ... **Relational databases** require a **SQL** driver for connection to Xfi. ...
Cited by 5 - Related articles - View as HTML - All 4 versions

[PDF] Advanced transactions in **LDAP**
AD Herlekar - 2002 - Citeseer
... (In case of OpenLDAP, which does not satisfy this condition, we have modified the back-**sql**
backend to support this. ... If the new transaction is on remote **LDAP** server, a new transaction is
initiated on the remote **LDAP** server by the local **LDAP** server and a **mapping** is created ...
Cited by 2 - Related articles - View as HTML - All 4 versions

[PDF] Making **LDAP** Active with the LTAP Gateway; Case Study in Providing ...
R Arlein, J Freire, N Gehani, D Lieuwen, J ... - Lecture notes in computer ..., 2001 - Citeseer
... Users can further constrain which attributes are returned using a feature analogous to an **SQL** ...

easily be changed through **LDAP**, the same tools that assign workspaces can also fix the **mapping**.
In addition, **LDAP** browsing tools can be used to find out whether a person has any ...
Cited by 8 - Related articles - View as HTML - BL Direct - All 8 versions

A performance study of monitoring and information services for distributed systems

arxiv.org [PDF]

X Zhang, J Freschl, JM Schopf - Arxiv preprint cs/0304015, 2003 - arxiv.org
... MDS is built on top of the Lightweight Directory Access Protocol (**LDAP**) [15][21]. ... Figure 3:
R-GMA Components Figure 3 illustrates the R-GMA components and their **mapping** to GMA. ...
Consumers can issue **SQL** queries against a set of supported tables. ...
Cited by 189 - Related articles - View as HTML - All 26 versions

System and method for DEN/**LDAP** client **database** access with a backoff capability

BE Harrison, WD Reed, L Temoshenko - US Patent 6,622,170, 2003 - Google Patents
... **SQL**). **SQL** allows complex update and query functions at the cost of program size
and application complexity. **LDAP** ... in progress. The **LDAP** protocol defines how the
basic functional operations **map** onto TCP/IP. The protocol ...
Cited by 8 - Related articles - All 2 versions

[PDF] A Meta-data Driven Approach to Searching for Educational Resources in a ...

editlib.org [PDF]

VP Wade, P Doherty - WebNet, 2000 - editlib.org
... The Broker was implemented for the GESTALT trial using a number of technologies including XML,
CORBA, **LDAP**, and a ... Results of the XML to **relational mapping** ... On the negative side standard **SQL**
text searching is limited and needs to be augmented to provide such ...
Cited by 1 - Related articles - All 4 versions

Grid information services for distributed resource sharing

psu.edu [PDF]

K Czajkowski, S Fitzgerald, I ... - 10th IEEE ..., 2001 - doi.ieeecomputersociety.org
... Figure 3. The **LDAP** data model represents information as a set of ... A **relational** aggregate directory
follows up each regis- tration of a new entity with a GRIP query to determine its properties, which
it records in a **relational database** against which **relational** queries can be ...
Cited by 1398 - Related articles - All 71 versions

[PDF] Experiences with ogsa-dai: Portlet access and benchmark

psu.edu [PDF]

D Kodeboyina, B Plale - Global Grid Forum Workshop on Designing and ..., 2003 - Citeseer
... The **database** role-**map** file has been provided for the users to include their ... The benchmark comes
with implementations of the query set for **SQL**, XPath, and **LDAP**. ... should outperform their
non-scoped counterparts in hierarchically oriented **databases** such as **LDAP** and Xindice ...
Cited by 9 - Related articles - View as HTML - All 15 versions

R-GMA: First results after deployment

arxiv.org [PDF]

R Byrom, B Coghlan, AW Cooke, R Cordenonsi, ... - Arxiv preprint cs/ ..., 2003 - arxiv.org
... We provide a mech- anism to specify those records of a table to delete by means of a user
specified **SQL** WHERE clause which is executed at intervals ... Both GIN and GOUT are driven by

configuration files which define the **mapping** between the **LDAP** schema and the ...
Cited by 1 - Related articles - View as HTML - All 3 versions

Anatomy of a real e-commerce system

A Jhingran - ACM SIGMOD Record, 2000 - portal.acm.org
... 2.1.1 Catalogs Catalogs are difficult to obviously **map** into **relational** tables ... of point queries against
the **database** tables often resulting in over 10 – 15 **SQL** queries for ... **LDAP** is often used for
membership information (backed by a **relational database**), but it unfortunately falls short ...
Cited by 9 - Related articles - BL Direct - All 5 versions

[PDF] An Introduction to **LDAP**

LA Kanies - O Reily, 2001 - people.quaqua.net
... It is similar to **SQL** in that it is a language for interacting with **databases** without specifying a ... people
into thinking that most networks currently don't make use of directories, or that **LDAP** will be the ...
Most people are familiar with talking about a phonebook or a **map** of the mall as a ...
Cited by 2 - Related articles - View as HTML

GridMonitor: Integration of Large Scale Facility Fabric Monitoring with Meta Data ...

R Baker, D Yu, J Smith, A Chan, K De, P ... - Arxiv preprint cs/ ..., 2003 - arxiv.org
... hide the details of the underlying **databases** and provide the user a uniform **SQL** interface, we ...
a geographical representation where top-level computing sites are shown on a **map** of the ... as
well as the exact values of dynamic en- tries that have violated the **LDAP** consistency tests ...
Cited by 5 - Related articles - View as HTML - All 8 versions

[PDF] Data access and management services on grid

V Raman, I Narang, C Crone, L Haas, S ... - ... . cs. man. ac. uk/grid-db, 2002 - Citeseer
... can specify predicates on file and other metadata, which the DBMS can evaluate and **map** onto
a ... for programs to communicate with one another has introduced another interface to **relational**
DBMS. It is now possible for Web Service clients to issue **SQL** requests and to invoke ...
Cited by 36 - Related articles - View as HTML - All 9 versions

[PDF] Business Suite

E Oracle - ... приложений. Представительство компании Oracle в ..., 2001 - bi.hu
... Faster **Database** Software – **SQL** Optimizer, Bit **Map** Indexes, etc... ... Oracle Internet Directory (**LDAP**)
Database retrieves user authorizations, connects user to application schema, performs granular
access control User IDs, Passwords Application Contexts ... **SQL** and PL/**SQL** ...
Cited by 5 - Related articles - All 2 versions

Data processing system and method for multi-level directory searches

S Shi, RR Hill - US Patent App. 09/740,251, 2000 - Google Patents
... (The translation of **LDAP** search filter expressions into Structured Query Language (**SQL**) queries
is discussed ... 20, 2002 referring to the aforesaid example for a DN **mapping** to an BID of value
"3", the maximum distance value is "3" as may be understood by referring to the ...

Cited by 4 - Related articles - All 4 versions

[BOOK] The **SQL** Server 7.0 handbook: a guide to Microsoft **database** computing

K England, N Stanley - 1999 - books.google.com

... our colleagues at ICS Solutions for helping to put **SQL** Server on the **map**; and Dr ... It will also have
support for the Lightweight Directory Access Protocol API (**LDAP**) and Microsoft Mail API ... is
effectively a template used for each new **database** that is created on a **SQL** Server system ...

Cited by 1 - Related articles

[PDF] Xset: A lightweight **database** for internet applications   ucsb.edu [PDF]

BY Zhao, AD Joseph - Submitted for publication, May, 2000 - cs.ucsb.edu

... MyNetscape. These portals use user preference **databases**, based upon **LDAP**, real, or custom
databases, to ... documents into tabular relations is an unnatural and complex **mapping**. ... XML were
mapped to large numbers of **SQL** queries, or single queries with numerous joins. ...

Cited by 7 - Related articles - View as HTML

Data Providers-A Language Experiment

JL Pfaltz - Lecture notes in computer science, 2000 - Springer

... Since our 64-bit oids are completely artificial, we expected that we could eas- ily **map** network
IP addresses into ... Neither **LDAP** [17]nor MySQL [5]have an object based flavor. ... The dominance
of **SQL** and the **relational** model arose from the fact that such a wide variety of data ...

Related articles - BL Direct - All 5 versions

... of Web Resources for Law: Austlii's Technical Road **Map**: Past, Present and Future

D Austin, A Mowbray, P Chung - UTS L. Rev., 2000 - heinonlinebackup.com

SCALABILITY OF WEB RESOURCES FOR LAW: AUSTLIPS TECHNICAL ROAD **MAP**: PAST,
PRESENT AND ... list on a more sustainable basis, Geoffrey King wrote a **database** management
system ... Chain but later renamed Feathers) which was based around an **SQL** back end. ...

Cited by 3 - Related articles - All 2 versions

Method and system for defining sets by querying **relational** data using a set ...

H Gudbjartsson, TS Arnarson, P Rovensky, ... - US Patent App. 10/ ..., 2003 - Google Patents

... system that implements this lan- guage efficiently on top of a standard **relational database**
management system ... of the SDL language are the implicit constraints that are enforced on the
relational data that ... It is also shown how the SDL language and the **SQL** language can be ...

Cited by 1 - Related articles - All 8 versions

Viewing WISs as **database** applications   utoronto.ca [PDF]

G Arocena, A Mendelzon - 1998 - portal.acm.org

... For an HTML hypertext, the **mapping** is straightforward: trees are documents and graph arcs ...
WebOQL queries can be embedded in Java programs like **SQL** queries are embedded in ... wrappers
for HTML documents, file system hierarchies, **relational** tables, and **LDAP** hierarchies ...

Cited by 6 - Related articles - BL Direct - All 9 versions

Berkeley db   usenix.org [HTML]

MA Olson, K Bostic, M Seltzer - ... of the FREENIX Track: 1999 USENIX ..., 1999 - usenix.org
... data manager in the majority of deployed directory servers today, including **LDAP** servers from ...
ODBC), Object Linking and Embedding for **Databases** (OleDB), or Structured Query Language
(**SQL**). ... Berkeley DB can memory-**map** its **database** files for read-only **database** use. ...
Cited by 182 - Related articles - Cached - All 14 versions

[PDF] The virtual data grid: A new model and architecture for data-intensive ...   psu.edu [PDF]

I Foster, J Vöckler, M Wilde, Y Zhao - Conference on Innovative Data ..., 2003 - Citeseer
... with in instance of a virtual data service, may variously be a **relational database**, OO **database**,
XML repository, or even a hierarchical directory such as a file system or **LDAP database**. ... of rows
to be extracted, by primary key, from one or more tables of a **SQL database**. ...
Cited by 135 - Related articles - View as HTML - All 26 versions

European DataGrid Project: Experiences of deploying a large scale Testbed for e- ...   gridpp.ac.uk [PDF]

F Gagliardi, B Jones, M Reale, S Burke, VBP ... - Lecture Notes in ..., 2002 - Springer
... Object to File **Map**. Service Index ... Also the query technology will not be tied to a particular protocol,
such as **SQL** or **LDAP**. ... One dedicated **LDAP** server is assigned to each Virtual Organisation; four
of these reside on a server machine at NIKHEF, two at CNAF, and one at CERN. ...
Cited by 30 - Related articles - BL Direct - All 24 versions

[PDF] Storage management issues for high performance **database** visualization   psu.edu [PDF]

H Tian - 2000 - Citeseer
... 1.1 **Database** Visualization In general, the goal of **database** visualization is to find a **mapping**
between very ... Different **database** systems use different data models to abstract the real world.
The **relational** model represents **databases** as a collection of relations. Each relation ...
Cited by 3 - Related articles - View as HTML - All 8 versions

[PDF] The Requirements for a Component-based Architecture   psu.edu [PDF]

J Rütschlin - Proceedings of the ProSTEP Science Days, 2000 - Citeseer
... The data of the legacy systems was integrated into a global schema by **mapping** the
heterogeneous data ... stored in the **LDAP** directory; the AS holds its authen- tication information
in another **LDAP** directory and ... **Database** Languages – **SQL** – Part 2. Foundation (**SQL**/Foundation ...
Cited by 1 - Related articles - View as HTML - All 7 versions

[PDF] Enterprise JavaBeans Technology   au.dk [PDF]

A Thomas... - Patricia Seybold Group, White Paper prepared for ..., 1998 - wiki.daimi.au.dk
... to naming and directory services, such as DNS, NDS, NIS+, **LDAP**, and COS ... and business rules),
and data manipulation logic (**database** connections and **SQL** queries)—a ... vendor may provide
an add-on container that implements persistence through object/**relational mapping**. ...
Cited by 93 - Related articles - View as HTML - All 22 versions

[PDF] **LDAP** Implementation Cookbook   psu.edu [PDF]

H Johner, M Melot, H Stranden, P Widhiasta - ... Support Organization, IBM, ..., 1999 - Citeseer
... is a specialized **database** that has characteristics that set it apart from general purpose **relational**
databases. ... **SQL** allows complex update and query functions at the cost of program size and ... **LDAP**
directories, on the other hand, use a simplified and optimized access protocol that ...
Cited by 9 - Related articles - View as HTML - All 36 versions

LDAP-based distributed cache technology for XML

PJ Marrón, G Lausen - US Patent App. 09/990,592, 2001 - Google Patents
... that XML-based sources can be processed without cumbersome transformations, such as XML
to **relational** representations. ... This variation has the advantage of further defined **mapping** of the
semi-structured data into a hierarchical structure within the **LDAP** environment. ...
Cited by 2 - Related articles - All 4 versions

Reverse string indexing in a relational database for wildcard searching

DJ Byrne, JM McConaughy, SB Shi, CL Shu, ... - US Patent ..., 2001 - Google Patents
... 40 Yet another important object of this invention is to **map** a given character string ... a preferred
embodiment, the filter-based query is a Lightweight Directory Access Protocol (**LDAP**) directory
service ... in this column is stored in reverse order to facilitate creation of a **SQL** query that ...
Cited by 14 - Related articles - All 2 versions

[PDF] COLLEGE TRANSCRIPT   psu.edu [PDF]

DOF COURSE, PA PRAVINCHANDRA, I ... - INFORMATION ..., 2001 - Citeseer
... 577/800 72.12% PASS 7 th Sem. July '04 To Dec '04 Distributed **Database** Appli. ... Search
Trees – binary and m-way search trees; B-trees, B* - trees, B+ - trees and tries, • Graph
structure – **mapping** and traversal, applications of graph. ...
View as HTML - All 2 versions

[PDF] "X-DATABASES"–THE INTEGRATION OF XML INTO ENTERPRISE ...   unc.edu [PDF]

L Davis - 2000 - ils.unc.edu
... Design .....47 Step 1 - Designing **Database** Schema .....47 Step 2 - **Mapping**
XML document ... C, C++, and PL/**SQL**. ... Most **relational** and object-oriented
databases are built for storing structured (data- ...
Related articles - View as HTML - All 2 versions

OAI-P2P: A peer-to-peer network for open archives   psu.edu [PDF]

B Ahlborn, W Nejdl, W Siberski - 2002 International ..., 2002 - doi.ieeecomputersociety.org
... entry form to create OAI-compliant metadata and resource management • an **LDAP**-based network ...
Another part of the Edutella project is the implementation of **mapping** services which will allow ...
courseware OAI-P2P adopters take advantage of Edutella's built-in **SQL**-like query ...
Cited by 39 - Related articles - All 12 versions

RQL: a declarative query language for RDF   psu.edu [PDF]

... , S Alexaki, V Christophides, D Plexousakis, ... - Proceedings of the ..., 2002 - portal.acm.org
... languages like Telos 47, 49] as well as of data models proposed for net-based applications such

as Superimposed Information Systems 25, 41] and **LDAP** Di- rectory Services 34 ... These languages
consider a at **relational** representation of RDF statements (ie, a **SQL** table with ...
Cited by 443 - Related articles - All 40 versions

[PDF] IBM's Enterprise Server for Java   mayn.de [PDF]
IF Brackenbury, DF Ferguson, KD Gottschalk, RA ... - IBM Systems ..., 1998 - mayn.de
... the IDL defined in the Java-to-IDL **mapping**; this is the only **mapping** that is ... a naming or directory
service such as the Lightweight Directory Access Protocol (**LDAP**) or CORBA ... This is a way of
accessing **relational databases** and issuing dynamic **SQL** (Structured Query Language ...
Cited by 6 - Related articles - View as HTML - BL Direct - All 9 versions

[PDF] AREAS OF INTEREST   psu.edu [PDF]
A Khalil - 1998 - Citeseer
... The project used Wi-Fi single strength measurements to build a radio **map** that was later used
for ... The project involved extensive coding using ASP, MS-**SQL** and Visual Basic. ... It uses a federated
server model with **LDAP** directory services for registration and SOAP for messaging ...
View as HTML - All 4 versions

[PDF] Enhancing ERP System Value   accountancy.com.pk [PDF]
D Everett - 2003 - accountancy.com.pk
... Hyperion Essbase XTD certification testing demonstrated data and metadata **mapping** to the
PeopleSoft ... supports authentication tools such as Lightweight Directory Access Protocol (**LDAP**),
Active Directory ... for multidimensional data access in much the same way as **SQL** is used ...
Cited by 2 - Related articles - View as HTML

Review of Middleware Components in Multi-tier Structures
Q Chen, V Sharma, J Wang - Issues and trends of information ..., 2002 - books.google.com
... MQSeries, Sun JMQ, Sybase, **SQL** JTA, JTS, JDBC, runtime, personalization. iPlanct IBM
ADC, O/R **mapping**. includes an SDK. for Server **LDAP**, NSAPL ISAPL content management
Application HP-UX integrates with Sun developing Enterprise SMTP. ...
Related articles

Architecture and software solutions
T Gardner, R Iannella - Online information review, 2000 - emeraldinsight.com
... These include WHOIS++ (as used by ROADS), Z39.50, **LDAP**, Harvest, and HTTP CGI ... Some
use **relational databases** (eg **SQL**), object-**relational databases**, and flat files. ... also provide facilities
for managing the evolution of metadata standards and **mapping** between metadata ...
Cited by 3 - Related articles - BL Direct - All 6 versions

[PDF] Policy storage for role-based access control systems   psu.edu [PDF]
A Belokosztolszki, DM Eyers, W Wang, K ... - Proceedings of the ..., 2003 - Citeseer
... policy from a directory accessed via **LDAP**. ... described in Section 4.2, our middle layer uses the
lowest layer active predicate store to assist it in **map**- ping policy ... These expressions are automati-

cally translated into **SQL** triggers and into meta information that is used by t5 triggers ...
Cited by 3 - Related articles - View as HTML - All 8 versions

A metadata initiative for global information discovery

E Christian - Government information quarterly, 2001 - Elsevier
... Through the technique of semantic **mapping**, these search concepts are associated to whatever ...
Relational database searching uses the Structured Query Language (**SQL**) standard. Directory
searches use the Lightweight Directory Access Protocol (**LDAP**) standard or the ...
Cited by 10 - Related articles - BL Direct - All 3 versions

[PDF] Managing heterogeneous resources in data mining applications on grids ...   psu.edu [PDF]

C Mastroianni, D Talia, P Trunfio... - Proceedings IPDPS, 2003 - Citeseer
... The current K NOWLEDGE G RID implementation uses the Globus MDS, and therefore the **LDAP**
protocol, to publish, discover, and ... XML allows the use of powerful query languages: for instance
the XML Query [9] provides **SQL**-like query ... It is easy to **map** XML documents into ...
Cited by 29 - Related articles - View as HTML - All 9 versions

Implementation Architecture for a National Data Center

S Ramroop, R Pascoe - Lecture notes in computer science, 1999 - Springer
... and – merging data sets initially collected at various level of details (such as graphic **databases**
with varying **map** scales). ... Therefore, Java programs can access data in almost every **SQL** da-
tabase including Oracle, Sybase, DB2, **SQL** Server, Access, FoxBase ... **LDAP** DBMS API ...
Cited by 3 - Related articles - BL Direct - All 8 versions

[PDF] Building Blocks for an Open Source E-learning Platform   130.186.29.70 [PDF]

S Margarita - Proceedings of the International Conference on ..., 2003 - 130.186.29.70
... with dynamic contents can connect to external **relational databases**, including Oracle, PostgreSQL,
MySQL supports open standards like HTTP, FTP, WebDAV, **SQL**, ODBC, XML, XML-RPC, **LDAP**, ...
This product, WebMail [21], allows you to use mail API for I.**MAP** servers. ...
Cited by 3 - Related articles - All 3 versions

[PDF] An architecture to support communities of interest using directory services ...   psu.edu [PDF]

D Kuechler, V Vaishnavi, A Vandenberg - ... (HICSS'03)-Track 9-Volume 9, 2003 - Citeseer
... Semantic Resolution Enables the elimination of synonyms in the COI Server by **mapping** them
to ... or COI_objectclass objectclasses and can thus be discovered using a standard **LDAP** Client ...
This is analogous to the notion of a **SQL database's** data dictionary within the ANSI **SQL** ...
Cited by 4 - Related articles - View as HTML - All 6 versions

[PDF] A Unified Peer-to-Peer **Database** Protocol   psu.edu [PDF]

W Hoschek - Proceedings of the International IEEE/ACM Workshop ..., 2002 - Citeseer
... Other query languages such as XPath, **SQL** [11] or **LDAP** [21] or subscrip- tion interest
statements could also be used. ... Its transport **mapping** to TCP uses application multiplexing
(one TCP connection per session) with sliding windows [17]. ...

Cited by 8 - Related articles - View as HTML - All 13 versions

[PS] Constructing a secure HIPACS with Structured Reporting

L Vorwerk, F Losemann, T Engel, C ... - Society of Photo-Optical ..., 2000 - hpi.uni-potsdam.de

... This description is located in the **mapping** resource. ... The **LDAP** protocol uses BER (Basic Encoding
Rules) of ASN.1 for byte protocol element coding, like the DICOM protocol. ... The commands to
find, store or delete data are defined in the **database**-query language called **SQL**. ...

Related articles - View as HTML - All 8 versions

A Publish/Subscribe Framework: Push Technology in E-Commerce

EC Cheng, G Loizou - Lecture Notes in Computer Science, 2000 - Springer

... can coexist with an X.500 directory, it can also be mapped to the **LDAP** (Lightweight Directory
Access Protocol) directory and retrieve information through the **LDAP** interface so ... This evaluation
is done by **mapping** the business rule expression into an **SQL** query, which ...

Cited by 1 - Related articles - BL Direct - All 3 versions

Computational grids in action: the national fusion collaboratory

K Keahey, T Fredian, Q Peng, DP Schissel, M ... - Future Generation ..., 2002 - Elsevier

... **relational database** run-management schema, currently implemented in a Microsoft **SQL** Server. ...
infrastructure for computational Grids using the lightweight directory access protocol (**LDAP**) as
a ... Note that fine-grained access control may still be accomplished by **mapping** a Grid ...

Cited by 51 - Related articles - All 24 versions

Directory services searching system and methods

RH Harvey - US Patent App. 10/336,769, 2003 - Google Patents

... X.500 services can be invoked via a number of protocols, such as X.500 and **LDAP**. ... The X.500
standard has a particular structure by nature, whereas **SQL** is designed to operate on **relational**
structured tables. [0066] For a typical **relational database** application, the nature of ...

All 4 versions

SaveMe: a system for archiving electronic documents using messaging groupware

S Berchtold, A Biliris, E Panagos - ACM SIGSOFT Software ..., 1999 - portal.acm.org

... and the particular folder hierarchy under the Inbox is not represented in the **LDAP** hierarchy;
rather ... tables that include all attributes remaining in the set and generate a single **SQL** statement
querying ... Thus, we propose the following simple **mapping** to strings instead of numbers. ...

Cited by 10 - Related articles - BL Direct - All 8 versions

[PDF] The Xset XML search engine and XBench XML query benchmark

BY Zhao - 2000 - cs.ucsb.edu

... **LDAP** [18], and applications which make use of simple and fast query functionality, such as ...
documents into tabular relations is an unnatural and complex **mapping**. Furthermore, a ... Certain
types of queries cannot be mapped into **SQL**, while other simple queries on XML ...

Cited by 17 - Related articles - View as HTML - All 7 versions

[PDF] Unifying conversational multimedia interfaces for accessing network ...

psu.edu [PDF]

G Di Fabbrizio, S Narayanan, P Ruscitti, C ... - ... on Multimedia and ..., 2000 - Citeseer

... It also expands special keywords in the actual prompts **mapping**. ... define an input media source
for the DM module (respectively GUI, ASR, **LDAP**, UMS, HTTP ... script periodically checks whether
there are new calls and eventually populates an **SQL Relational Database** System for ...

Cited by 5 - Related articles - View as HTML - All 8 versions

[PDF] A context-oriented RDF **database**

psu.edu [PDF]

MR Tazari - Proc. SWDB, 2003 - Citeseer

... A general- purpose **mapping** of the RDF data model onto the **relational** model, where no ...
profile-name> Internally, profiles are implemented as (hashed) trees quite similar to **ldap** or
Windows ... only the XML syntax of RDF to submit queries, deriving a compact **SQL**-like notation ...

Cited by 12 - Related articles - View as HTML - All 8 versions

Goooooogle ▶

Result Page: 1 2 3 4 5 6 **Next**

ldap mapping sql relational database | Search

Go to Google Home - About Google - About Google Scholar

©2010 Google

Google scholar | ldap mapping sql relational database partitioni | | Search |

Advanced Scholar Search
Scholar Preferences

Scholar | Articles and patents | | | - | 2003 | include citations |

Results **1 - 92** of 92. **(0.24 sec)**

[PDF] Overview of existing XML storage techniques

168.188.128.62 [PDF]

S Amer-Yahia, M Fernandez - submitted for publication, 2002 - 168.188.128.62
... should be explored further with more flexible mappings and a more comprehensive XQuery to
LDAP query translation. ... With the exception of Microsoft **SQL** server, which also implements
theEdgeapproach in Section 3.1, no automatic support for schema **mapping** is provided ...
Cited by 10 - View as HTML

[PDF] Storage techniques and **mapping** schemas for XML

psu.edu [PDF]

S Amer-Yahia - SIGMOD Record, 2003 - Citeseer
... In [26], theauthorsdevelopstack-basedalgorithms with linear prop- erties to compute children
and descendants of entities in **LDAP**. ... <xsd:schema xmlns:xsd="http://www.w3.org/XMLSchema"
xmlns:**sql**="urn:schemas-microsoft:**mapping**-schema"> <xsd:element name ...
Cited by 15 - Related articles - View as HTML - All 3 versions

[PDF] An enterprise directory solution with DB2

ibm.com [PDF]

SSB Shi, E Stokes, D Byrne, CF ... - IBM Systems ..., 2000 - researchweb.watson.ibm.com
... The query usually degenerates into a linear search. **LDAP**/DB2, in contrast, is able to translate
all **LDAP** queries into **SQL** and obtains timely and ac- curate results. ... At first glance, it seems very
obvious that we should be **mapping** an **LDAP** object class into a DB2 relation. ...
Cited by 19 - Related articles - View as HTML - BL Direct - All 12 versions

[PDF] Key concepts and services of a grid information service

psu.edu [PDF]

B Plale, P Dinda, G von Laszewski, IN ... - Proceedings of the 15th ..., 2002 - Citeseer
... directory ser- vices are generally focused at the network level, that is, **mapping** a hostname ... of
queries a user must submit to get a desired answer, and because **SQL** is declarative ... Because
of the hierarchical structure of **LDAP** and XML, a user must possess intimate knowledge ...
Cited by 62 - Related articles - View as HTML - All 15 versions

Support for RDBMS in **LDAP** system

SP Ghatare - US Patent App. 10/682,575, 2003 - Google Patents
... Store the **SQL** equivalent statements in sql_child_nodes_list 1004 For **SQL** Server: AndSQLStmt =
"SELECT ... the Invention [0003] The present invention is directed to technology for **mapping** data

so ... For example, some Identity Systems are designed to work with **LDAP** directories. ...
All 2 versions

Translating data access requests

SP Ghatare - US Patent App. 10/682,252, 2003 - Google Patents
... 12 determine the attribute **mapping** class for the attribute in the simple **expression** •900 convert ...
Store the **SQL** equivalent statements in sql_child_nodes_list 1004 1040 For **SQL** Server:
AndSQLStmt ... For example, some Identity Systems are designed to work with **LDAP** directories ...
All 2 versions

LDAP, Databases and Distributed Objects: Towards a better integration

T Delot, P Dechamboux, B Finance, Y ... - **Databases** in ..., 2001 - books.google.com
... needed for these protocols [4](as already done in the **database** field with the **SQL** query language ...
D. Srivastara," Using **LDAP** directories caches", PODS 1999, p 273-284. ... R. Basset, S. Drapeau,
L. Garcia, A. Lefebvre," JORM: a Java Object Repository **Mapping** System", internal ...
Cited by 4 - Related articles - BL Direct - All 5 versions

System and method for accessing a directory services respository

DT Ferguson - US Patent 6,016,499, 2000 - Google Patents
... NDS - ODBC DRIVER 46, 102 **LDAP** API 46,92 NDS API 48, 104 **LDAP** REPOSITORY 48 ... which
provides access to a reposi- directory handling, printing, security enforcement, and drive **mapping**
changes. The NCP API does not accept **SQL** and does not conform with ODBC. ...
Cited by 28 - Related articles - All 2 versions

[PDF] Optimizing XML Path Queries over **Relational Databases**   psu.edu [PDF]

MC Pilar - 2002 - Citeseer
... 46 3.8 From the Document Navigator to **SQL** . . . . 55 3.11 **Mapping** the XML document in
Figure 1.1 into the Extended ToX Rela- tional **Mapping** Scheme . . . . Among them, **Relational**
Database Management Systems (RDBMS) are mature enough to ...
Related articles - View as HTML - All 5 versions

Timber: A native XML **database**   psu.edu [PDF]

HV Jagadish, S Al-Khalifa, A Chapman, LVS ... - The VLDB journal, 2002 - Springer
... XML queries are converted into **SQL** queries over the rela- tionaltables,andevensimpleXML
queriesoftengettranslated into ... of rules and metadata in- formation, and performs the required
mapping from logical ... This notion of selection is strictly more general than **relational** selection ...
Cited by 378 - Related articles - All 51 versions

[PDF] Dynamic querying of streaming data with the dQUOB system   psu.edu [PDF]

B Plale, K Schwan - IEEE Transactions on Parallel and Distributed ..., 2003 - Citeseer
... 5 **Mapping Database** Queries to Data Streams dQUOB models event data transfer and provides
a software system by which one can create computational entities to manipulate data streams. ...

Data is retrieved from a **relational database** by means of **SQL** queries. ...
Cited by 61 - Related articles - View as HTML - BL Direct - All 23 versions

A Publish/Subscribe Framework: Push Technology in E-Commerce
EC Cheng, G Loizou - Lecture Notes in Computer Science, 2000 - Springer
... can coexist with an X.500 directory, it can also be mapped to the **LDAP** (Lightweight Directory
Access Protocol) directory and retrieve information through the **LDAP** interface so ... This evaluation
is done by **mapping** the business rule **expression** into an **SQL** query, which ...
Cited by 1 - Related articles - BL Direct - All 3 versions

Dynamic organization model and management computing system and method ...
EC Cheng - US Patent 6,067,548, 2000 - Google Patents
... When a **relational database** implementation is chosen, users define the attributes 60 of the
members 54 as columns in a **relational** table. In an object-oriented **database** environment,
the attributes 60 of the members 54 **map** directly to a class definition. ...
Cited by 17 - Related articles - All 6 versions

[PDF] Making **LDAP** Active with the LTAP Gateway; Case Study in Providing ...   psu.edu [PDF]
R Arlein, J Freire, N Gehani, D Lieuwen, J ... - Lecture notes in computer ..., 2001 - Citeseer
... Users can further constrain which attributes are returned using a feature analogous to an **SQL** ...
easily be changed through **LDAP**, the same tools that assign workspaces can also fix the **mapping**.
In addition, **LDAP** browsing tools can be used to find out whether a person has any ...
Cited by 8 - Related articles - View as HTML - BL Direct - All 8 versions

European DataGrid Project: Experiences of deploying a large scale Testbed for e- ...   gridpp.ac.uk [PDF]
F Gagliardi, B Jones, M Reale, S Burke, VBP ... - Lecture Notes in ..., 2002 - Springer
... Also the query technology will not be tied to a particular protocol, such as **SQL** or **LDAP** ... Their
certificate Subject Name is then added to an **LDAP** server maintained for each Virtual Organisation
by ... with local policy on which VOs are supported, to generate the local **map** file which ...
Cited by 30 - Related articles - BL Direct - All 24 versions

[PDF] COLLEGE TRANSCRIPT   psu.edu [PDF]
DOF COURSE, PA PRAVINCHANDRA, I ... - INFORMATION ..., 2001 - Citeseer
... July '04 To Dec '04 Distributed **Database** Appli. ... Introduction – Constants, Variables and data types
in C, Operators and **Expression** • Program Flow ... Search Trees – binary and m-way search trees;
B-trees, B* - trees, B+ - trees and tries, • Graph structure – **mapping** and traversal ...
View as HTML - All 2 versions

[PDF] A Unified Peer-to-Peer **Database** Framework for XQueries over Dynamic ...   psu.edu [PDF]
DINGW HOSCHEK, A DES, AG EINES, DDERT ... - Technical University of ..., 2003 - Citeseer
... von Ressourcen und Di- ensten eine reiche Mehrzweckabfragesprache wie zB XQuery oder
SQL verlangt. ... The brokering step determines an invocation schedule, which is a **mapping** over

time of unbound ... work does not follow an XML data model (X.500 [13], **LDAP** [14], MDS ...
Cited by 31 - Related articles - View as HTML - All 18 versions

[PDF] A Unified Peer-to-Peer **Database** Protocol

W Hoschek - Proceedings of the International IEEE/ACM Workshop ..., 2002 - Citeseer
... Other query languages such as XPath, **SQL** [11] or **LDAP** [21] or subscrip- tion interest
statements could also be used. ... Its transport **mapping** to TCP uses application multiplexing
(one TCP connection per session) with sliding windows [17]. ...
Cited by 8 - Related articles - View as HTML - All 13 versions

[BOOK] **SQL**: 1999-Understanding **Relational** Language Components
J Melton, AR Simon - 2001 - books.google.com
... Object-Oriented Capabilities 14 1.2.6 Other **Database** Models 15 1.3 **Database** Languages 16 ...
2.2 **SQL** History and Background 23 2.2.1 **SQL** Versus Competing **Relational** Languages 23 ... Basic
Functions, and **Expressions** 113 5.1 Introduction 113 5.2 Types of **SQL** Values 113 ...
Cited by 161 - Related articles - All 4 versions

[PDF] APPLICATIONS FOR DATA Grid

T ASSESMENT - Work, 2001 - hectorduque.free.fr
... PDB Protein Data Bank SCOP Structural Classification Of Proteins **SQL** Standard Query
Language Page 8. Doc. ... A **relational** table in a **database** can be seen as a set of tuple of
the form <a1,a2,...,ak> where ai is a possible value of an attribute Ai. ...
Related articles - View as HTML

Relational directory
K Cameron, M Brown, M Leibmann, JH ... - US Patent App. 10/ ..., 2003 - Google Patents
... The Lightweight Directory Access Protocol (**LDAP**) is based on the X.500 standard, and ... information
and projecting the information into the storage layer according to **mapping** policies in ... the storage
layer 212 may include a structured query language **database** (**SQL**), in which ...
Related articles - All 3 versions

Quality of Service and Optimization in Data Integration Systems

R Braumandl - Actes du GI-Fachtagung Datenbanksysteme für ..., 2003 - deposit.ddb.de
... 123 11.2.6 Comparing Different OID **Mapping** Techniques 124 11.2.7
LogicalOIDsinComparisontoPhysicalOIDs . . . . . 124 ... For example, if the middleware
layer uses a nested-**relational** data model, **SQL**-92 as query ...
Cited by 4 - Related articles - All 16 versions

[PDF] ... . Atzeni y VD Antonellis, Rela-tional **Database** Theory, Benjamin Cummings, ...

NY Press - ... . of the International Conf. on Very Large **Databases**, 1998 - Citeseer
... [Chan e Ioannidis 1998] C.-Y. Chan y YE Ioannidis, «Bit- **map** Index Design and Evaluation»,
en Proc. of the ACM SIGMOD Conf. ... [Date 1990] CJ Date, **Relational Database** Writings, 1985-

1989, Addison Wesley (1990). [Date 1993a] CJ Date, «How **SQL** Missed the Boat», **Data** ...
View as HTML - All 3 versions

... unstructured data into structured data for **SQL** processing by a **relational database** ...
A Choi, TL Leyba, B Porst, AR ... - US Patent App. 10/394,842, 2003 - Google Patents
... data sources and return the appropriate data but would then rely on the **relational** engine to ...
Extended search field **mapping** would be used to normalize the foreign keys in the nickname
tables ... this fashion it would now be possible to pose the following query in **SQL**: TABLE VISA ...
Related articles - All 6 versions

[PDF] Querying XML with mixed and redundant storage   upenn.edu [PDF]
A Deutsch, V Tannen - Techni-cal Report MS-CIS-02-01, 2002 - repository.upenn.edu
... 2Storing some of the data in other systems such **LDAP** is also plausible. ... A s query language
expressions, a **mapping**, a view, and a query are the same thing. ... XQuery constraints) others
expressible as (RXL, STORED, **SQL**, extensions reformulated tagging template Tagger ...
Cited by 9 - Related articles - All 2 versions

[BOOK] The complete book of Middleware
JM Myerson - 2002 - books.google.com
... tFree, Lite, Enterprise): Thought Inc I72 CocoBase Enterprise Object to **Relational Mapping**:
Thought Inc ... I80 PRO/Enable: Black & White Software Inc I80 **Relational** Object Framework:
Watershed Technologies I80 Rmijdbc: GIE Dyade : I81 SCO **SQL**-Retriever: SCO ...
Cited by 26 - Related articles - All 2 versions

System and method for building social networks based on activity around shared ...
MD Elder, JY Jho, VT Rokosz, AL Schirmer, ... - US Patent App. 10/ ..., 2002 - Google Patents
... expectation maximization algo- rithm to construct a hierarchy of documents in knowledge **map**
(K-**map**) metrics **database** ... and applies it to the XML 43 that represents the results of the **SQL** query. ...
classroom, a **database**, a Web site, and groups in a directory (such as **LDAP** or the ...
Related articles - All 4 versions

[PDF] Introduction to Programming Languages   upf.edu [PDF]
AA Aaby - 1996 - upf.edu
... **Database** query languages Relations and the **Relational** Algebra Datalog Quantifiers ... r Martina
Brockmann, Katrin Kirchner, Sebastian Luhnsdorf, Mark Pratt Zope Web Application Construction
Kit Sams 2001 q **Database** r Stucky, Matthew. ... PostgreSQL 3, 4 MySQL 5 **LDAP** 7 ...
Cited by 5 - Related articles - View as HTML - All 2 versions

The web service discovery architecture   psu.edu [PDF]
W Hoschek - Proceedings of the 2002 ACM/IEEE conference on ..., 2002 - portal.acm.org
... How- ever, XQuery is a more expressive language than **SQL**, for example, because it supports
path ... However, tuples can also be dynamically recomputed or kept in a **relational database**. ...

However, in such a **database** system, the set of information tuples in the universe is ...
Cited by 84 - Related articles - All 21 versions

Astrolabe: A robust and scalable technology for distributed system monitoring, ... psu.edu [PDF]
R Van Renesse, KP Birman, W Vogels - ACM Transactions on ..., 2003 - portal.acm.org
... a standard mechanism for retrieving data from a variety of sources, including **relational databases**
and spreadsheets ... We define a hashing function on top- ics, **mapping** each topic to a bit ... By adding
such aggregation functionality to Astrolabe's **SQL** en- gine, we could extend the ...
Cited by 487 - Related articles - BL Direct - All 21 versions

[BOOK] Data warehouse schema design psu.edu [PDF]
J Lechtenbörger - 2001 - books.google.com
... The general goal is to **map** the real-world entities of a given application scenario ... Most notably,
relational dependency theory provides insight to un- derstand the reasons for redundancies in ...
however, differs in at least two important aspects from an operational **database**: First, a ...
Cited by 29 - Related articles - All 18 versions

Generalized substring selectivity estimation psu.edu [PDF]
Z Chen, F Korn, N Koudas, S Muthukrishnan - Journal of Computer and ..., 2003 - Elsevier
... For example, in an **LDAP** directory search, a user might inquire about all people whose first name
begins with the letters "Jo" (a ... This query can be expressed in **SQL** using the LIKE clause: WHERE
(name LIKE 'Jo%' AND phone LIKE '%360%') AND age . ... 1.2.3. **Map** of the paper. ...
Cited by 5 - Related articles - BL Direct - All 9 versions

[BOOK] DB2 version 8: the official guide
P Zikopoulos, G Baklarz, RB Melnyk, D Deroos - 2003 - books.google.com
... Service Level Install for UNIX 170 New Tivoli-focused Options 171 **LDAP** Support on ... los 266
Devalopment OverView 267 Solution Explorer 268 Server Explorer 270 **SQL** Editor 273 ... v8.1 unless
otherwise notedi marks yet another stage in the evolution of **relational databases**. ...
Cited by 4 - Related articles - All 2 versions

Bio-Almanac
CXLL New, XML X-Refiner - Biotech Software & Internet Report, 2001 - liebertonline.com
... programs for data management, experi- mental simulation, strategic recombinant design, **mapping**
and illustration ... on an award-winning legacy of over 15 years of **relational database** and rapid ...
Client/server and Web versions for both Oracle and MS **SQL** Server applications are ...
All 2 versions

[PDF] A survey of policy specification approaches psu.edu [PDF]
N Damianou, A Bandara, M Sloman, E Lupu - Department of Computing, ..., 2002 - Citeseer
... The concepts of stratified theories and stratification were originally developed in the context of
databases [Chandra and Harel ... how policies specified in stratified logic can be automatically

translated into a subset of **SQL** to protect a **relational database** from unauthorised ...
Cited by 69 - Related articles - View as HTML - All 6 versions

[PDF] System Administration Guide Volume 2
AS Enterprise - 2002 - Citeseer
... 15 Directory services..... 16 **LDAP** as a directory service..... ... 176 **SQL** server administration..... ...
498 Page 12. Contents xii Example of remote user login **mapping**..... ...
View as HTML - All 12 versions

[PDF] A practical guide to db2 udb data replication v8
L Budd, A Cayci, C Hendricks, M Purnell, C Rigdon - 2002 - ivanfm.com
... ccclxxxvii 8-16 **SQL** to update pruning control tables to resume apply processingccclxxx- vii
8-17 Locate subscription member **map** ID . ... ccclxxxix 8-21 **SQL** to activate registration after
unexpected capture errors . ... dxv B-4 iSeries **Relational Database** name in WRKRDBDIRE . ...
View as HTML - All 2 versions

[BOOK] Enterprise Java Programming with IBM Websphere
K Brown, G Craig, G Hester, WD Pitt, R Stinehour, J ... - 2003 - books.google.com
... UDB for OS/390 v7.1 Application Certification Guide Lawson DB2 **SQL** Procedural Language ...
Overview 328 Accessing Object-Specific Mappers 331 **Mapping** Objects to **Relational** Tables
332 ... 524 23.6 Summary 524 Chapter 24 CMP **Mapping** Strategies and **Mapping** in WSAD ...
Cited by 20 - Related articles - Library Search - All 5 versions

[PDF] A policy framework for management of distributed systems
NC Damianou - 2002 - Citeseer
... JMAPI JMX JNDI **LDAP** MAC OCL OCO ... be used to temporarily remove access rights from subjects. •
Implementation-independent authorisation policies that can **map** onto various access control
mechanisms for firewalls, operating systems, object-middleware, **databases** and ...
Cited by 146 - Related articles - View as HTML - All 14 versions

[PDF] Rule-based Process Support for Enterprise Information Portal
HK Gichahi - 2003 - Citeseer
... phases of system development. Typically, business rules have been buried in program
code or in **database** structures. It turns out, however, that the identification of business
rules is important in its own right. Moreover, it is different ...
Cited by 3 - Related articles - View as HTML - All 7 versions

[PDF] 다양한 저장소에서의 효율적인 XML 저장기법에 대한 연구
민준기, 박명제, 안재용, 정진완 - 데이타베이스연구, 2003 - sigdb.or.kr
... **SQL**: Structured Query Language)로 변환을 해야만 질의 처리가 가능하다 ... 제안된 방법은 스 키마가
없는 경우에도 고정된 매핑 (**mapping**) 방법을 제공하여 스키마의 유무에 관계없이 일정한 형태로 ...
그 대표적인 시스템으로는 Tamino [25], **LDAP**-based 시스템 [16], Timber[12] 등이 있다 ...

Related articles - View as HTML - All 2 versions

Knowledge-based e-catalog procurement system and method

GC Berkowitz, D Serebrennikov, BM Roe, ... - US Patent App. 10/ ..., 2002 - Google Patents

... 27, 2003 US 2003/0061122 AI (such as **LDAP** servers) Functional View Kxprrt User ... to solve the B2B business problem include: 1) Creating a common nomenclature **mapping** (eg Aspect ... technology 3) Standardizing and/or scrubbing vendor data 4) Using **relational** technology In ...

All 2 versions

Business-to-business interactions: issues and enabling technologies

B Medjahed, B Benatallah, A Bouguettaya, AHH Ngu, ... - The VLDB Journal, 2003 - Springer

... Applications use different data structures (eg, XML, **relational databases**), standard or propriety semantics (eg, standardized ontologies). ... This information may be described in the partner's **database**.At the business process level, OBI defines a simple and pre-defined operational ...

Cited by 246 - Related articles - All 19 versions

[BOOK] Oracle9i Web development

BD Brown - 2001 - books.google.com

... **Database** Columns 462 Using the DBMS_OBFUSCATION_TOOLKIT 463 Fine-Grained **Database** Auditing 464 ... the Oracle9/AS Directories 467 Using the PL/**SQL** Package OWA_SEC ... 476 Protecting Digital Certificates 478 Using Oracle Internet Directory (**LDAP**) 479 Summary ...

Cited by 9 - Related articles - All 3 versions

[BOOK] Oracle in a Nutshell: A Desktop Quick Reference

DC Kreines - 2002 - books.google.com

... to the Oracle **database**, including Java drivers available for Oracle, the **mapping** between Java ... in examples that show interaction between an Oracle utility (eg, **SQL**'Plus, RMAN ... Oracle; these files include TNSNAMES.ORA, SQLNET.ORA, LISTENER.ORA, **LDAP**.ORA, NAMES ...

[PDF] Directory Services for Linux

N Klasen - Comparison with Novell NDS and Microsoft Active ..., 2001 - daasi.de

... 12.3 Retrieving BibTeX records from **LDAP** . . ... about a set of objects in the real world." Directories have some properties that set them apart from **relational databases** [68 ... To **map** a DNS name to a DN, the dc attribute—short for domain component—is used: "direc- tory.dfn.de" thus ...

Cited by 2 - Related articles - View as HTML - All 17 versions

Tracking, recording and organizing changes to data in computer systems

MA Moraes, JR Soss - US Patent App. 10/635,041, 2003 - Google Patents

... processes in a computer system. Processes and changes are organized as change sessions in a change history **database** and tagged with user-provided reasons and other identification fields. A query module provides detailed ...

All 2 versions

Scientific Papers

R Benardon - Technology and Health Care, 2000 - IOS Press

... and the sub-processes in a specific **database** and in order to manage this **data-base** we are ... that
are then downloaded into its Document Object Model (DOM, the emerging industry standard
browser **database**). ... An SVG Viewer (scalable vector graphics) as image **map** for the ...

[PS] Distributed Indexing/Searching Workshop

M Schwartz, H Network - agenda, attendee list, and position papers, ..., 1996 - Citeseer

... or using heavier-weight languages than is common in network information retrieval environments
(eg, **SQL**). ... someone is going to slip up, and alter the configuration of a **database** which is ...
text-datbase providers are not trusted to alter the configuration of **databases** which they ...
Cited by 1 - Related articles - View as HTML - All 23 versions

[PDF] New Systems Technologies and Software Products for HPCC: Volume III- ...

GC Fox, W Furmanski, HT Ozdemir, S Pallickara - 1998 - grids.ucs.indiana.edu

... client and middle tier systems accessing "traditional" back end services such as **relational** and
object ... For instance with **database** access, one gets a two tier solution by either incorporating
custom code into the "thick" client or in analogy to Oracle's PL/**SQL**, compile the ...
Cited by 1 - Related articles - View as HTML - All 2 versions

System, method and article of manufacture for a persistent state and persistent ...

MK Bowman-amuah - US Patent 6,442,748, 2002 - freepatentsonline.com

... 41 illustrates what makes up a **Partitioned** Business Component; ... 52 illustrates a business process
to object **mapping**; FIG. ... system streaming itself into a stream, the stream being sent to a non-object
system, this stream being read and the data inserted into a **relational database**; ...
Cited by 25 - Related articles

[PDF] e-Science Gap Analysis

G Fox, D Walker - National e-Science Centre, UK e-Science Technical ..., 2003 - Citeseer

... MDS..... 68 Page 4. 4 8.6.4.3 **Relational** Grid Monitoring Architecture.....
69 8.6.4.4 Semantic Grid Work at Southampton..... 69 ...
Cited by 41 - Related articles - View as HTML - All 29 versions

Piecemeal retrieval in an information services patterns environment

MK Bowman-amuah - US Patent 6,550,057, 2003 - freepatentsonline.com

... non-object system, this stream being read and the information is inserted into a **relational database**; ...
171 illustrates a flowchart for a method for **mapping** of retrieved data into objects in ... need for people
with detailed skills in a specific communications protocol or aspects of **SQL**). ...
Cited by 20 - Related articles

Request batcher in a transaction services patterns environment

MK Bowman-amuah - US Patent 6,640,244, 2003 - freepatentsonline.com

... and apparatus for automatic generation of object oriented code for **mapping relational** data to ...
5560005, Methods and systems for object-based **relational** distributed **databases**, Hoover et
al. ... for object specification, generation, and management in a distributed **database**, Burnett et ...
Cited by 7 - Related articles

Delivering service to a client via a locally addressable interface

MK Bowman-amuah - US Patent 6,438,594, 2002 - freepatentsonline.com

... 41 illustrates what makes up a **Partitioned** Business Component; ... 52 illustrates a business process
to object **mapping**; FIG. ... system streaming itself into a stream, the stream being sent to a non-object
system, this stream being read and the data inserted into a **relational database**; ...
Cited by 10 - Related articles

Information services patterns in a netcentric environment

MK Bowman-amuah - US Patent 6,434,568, 2002 - freepatentsonline.com

... 41 illustrates what makes up a **Partitioned** Business Component; ... 52 illustrates a business process
to object **mapping**; FIG. ... system streaming itself into a stream, the stream being sent to a non-object
system, this stream being read and the data inserted into a **relational database**; ...
Cited by 10 - Related articles

[BOOK] Design and Development of a **Database** for Tissue Micro Array ...

tugraz.at [PDF]

M Pirklbauer - 2003 - genome.tugraz.at

... All the necessary **SQL** statements and JDBC calls must be coded by the programmer. The
advantage of this kind of ... The developer does not care about how the beans access the **database**,
but it is important that the underlying **database** is **relational** in nature. CMP is ...
Cited by 1 - Related articles - View as HTML - All 3 versions

Multi-object fetch component

MK Bowman-amuah - US Patent 6,529,948, 2003 - freepatentsonline.com

... 41 illustrates what makes up a **Partitioned** Business Component; ... 52 illustrates a business process
to object **mapping**; FIG. ... system streaming itself into a stream, the stream being sent to a non-object
system, this stream being read and the data inserted into a **relational database**; ...
Cited by 10 - Related articles

[BOOK] Real World Medical Applications: Mednet 2000, Brussels. 5th World ...

M Nyssen - 2000 - books.google.com

... H. Kottkamp po65 Integrating MedFrame **Databases** in the MediMedia Medical Image European
Network 232 F. Barhini, A. D'Atri, V ... with this goal we are identifying all the activities and the
sub-processes in a specific **database** and in order to manage this **data-base** we are ...
All 2 versions

Activity component in a presentation services patterns environment

MK Bowman-amuah - 2003 - freepatentsonline.com

... and apparatus for automatic generation of object oriented code for **mapping relational** data to ...

5560005, Methods and systems for object-based **relational** distributed **databases**, Hoover et

al. ... for object specification, generation, and management in a distributed **database**, Burnett et ...

Multi-object identifier system and method for information service pattern ...

MK Bowman-amuah - 2003 - freepatentsonline.com

... 41 illustrates what makes up a **Partitioned** Business Component; ... 52 illustrates a business process

to object **mapping**; FIG. ... system streaming itself into a stream, the stream being sent to a non-object

system, this stream being read and the data inserted into a **relational database**; ...

Efficient server side data retrieval for execution of client side applications

MK Bowman-amuah - 2003 - freepatentsonline.com

... and apparatus for automatic generation of object oriented code for **mapping relational** data to ...

5560005, Methods and systems for object-based **relational** distributed **databases**, Hoover et

al. ... for object specification, generation, and management in a distributed **database**, Burnett et ...

Fixed format stream in a communication services patterns environment

MK Bowman-amuah - 2003 - freepatentsonline.com

... and apparatus for automatic generation of object oriented code for **mapping relational** data to ...

5560005, Methods and systems for object-based **relational** distributed **databases**, Hoover et

al. ... for object specification, generation, and management in a distributed **database**, Burnett et ...

Assertion component in environment services patterns

MK Bowman-amuah - 2003 - freepatentsonline.com

... and apparatus for automatic generation of object oriented code for **mapping relational** data to ...

5560005, Methods and systems for object-based **relational** distributed **databases**, Hoover et

al. ... for object specification, generation, and management in a distributed **database**, Burnett et ...

Presentation services patterns in a netcentric environment

MK Bowman-amuah - 2003 - freepatentsonline.com

... and apparatus for automatic generation of object oriented code for **mapping relational** data to ...

5560005, Methods and systems for object-based **relational** distributed **databases**, Hoover et

al. ... for object specification, generation, and management in a distributed **database**, Burnett et ...

[CITATION] MCSE Windows Server 2003 Active Directory Infrastructure Exam ...

D Suhanovs - 2003 - Dreamtech Press

Block-based communication in a communication services patterns environment

MK Bowman-amuah - 2003 - freepatentsonline.com

... 5649139, Method and apparatus for virtual memory **mapping** and transaction management in

an object ... Other References: Kovalerchuck et al., comparison of **relational** methods and

attribute-based methods for data ... of a first request from a client for the data in the **database** of the ...

System, method, and article of manufacture for environment services patterns in a ...

MK Bowman-amuah - 2002 - freepatentsonline.com

... 41 illustrates what makes up a **Partitioned** Business Component; ... 52 illustrates a business process
to object **mapping**; FIG. ... system streaming itself into a stream, the stream being sent to a non-object
system, this stream being read and the data inserted into a **relational database**; ...

Attribute dictionary in a business logic services environment

MK Bowman-amuah - 2003 - freepatentsonline.com

... and apparatus for automatic generation of object oriented code for **mapping relational** data to ...
5560005, Methods and systems for object-based **relational** distributed **databases**, Hoover et
al. ... for object specification, generation, and management in a distributed **database**, Burnett et ...
Related articles

METHOD AND SYSTEM FOR AN AUTOMATED SCRIPTING SOLUTION FOR ...

JJ Haswell, RJ Young, K Schramm - 2003 - freepatentsonline.com

... the present invention; Figure 62 is an illustration of a Membership Server **Mapping** Property
according ... data is further passed to the ASA modules 208 via an **SQL** query ... The present invention's
relational database architecture significantly simplifies and reduces script maintenance ...
Related articles - All 3 versions

[BOOK] MCSE Windows Server 2003 Active Directory Infrastructure Study Guide (...

L Robinson, D Suhanovs - 2003 - books.google.com

... systems and server products such as Microsoft Exchange and Microsoft **SQL** Server ... an FSMO
Role 262 Troubleshooting Replication Failures 263 Troubleshooting Active Directory **Database**
Failures 264 ... is especially handy, since his roaming profile can include the **mapping** to a ...
All 2 versions

Method for translating an object attribute converter in an information services ...

MK Bowman-amuah - 2003 - freepatentsonline.com

... 5724575, Method and system for object-based **relational** distributed **databases**, Hoover et al. ...
61 depicts the use of the contains Key ( ) method on the Hash **Map** to ensure that the ... sent to a
non-object system, this stream being read and the data inserted into a **relational database**; ...

Abstraction factory in a base services pattern environment

MK Bowman-amuah - 2003 - freepatentsonline.com

... non-object system, this stream being read and the information is inserted into a **relational database**; ...
171 illustrates a flowchart for a method for **mapping** of retrieved data into objects in ... need for people
with detailed skills in a specific communications protocol or aspects of **SQL**). ...

Common interface for handling exception interface name with additional prefix and ...

MK Bowman-amuah - 2002 - freepatentsonline.com

... 41 illustrates what makes up a **Partitioned** Business Component; ... 52 illustrates a business process to object **mapping**; FIG. ... system streaming itself into a stream, the stream being sent to a non-object system, this stream being read and the data inserted into a **relational database**; ...

Stream-based communication in a communication services patterns environment

MK Bowman-amuah - 2003 - freepatentsonline.com

... In one embodiment of the present invention, information in the translated message received by the receiving system may be stored in a **relational database**. ... 41 illustrates what makes up a **Partitioned** Business Component; ... 52 illustrates a business process to object **mapping**; ...

System, method, and article of manufacture for a polymorphic exception handler in ...

MK Bowman-amuah - 2002 - freepatentsonline.com

... non-object system, this stream being read and the information is inserted into a **relational database**; ... 171 illustrates a flowchart for a method for **mapping** of retrieved data into objects in ... need for people with detailed skills in a specific communications protocol or aspects of **SQL**). ...

Exception response table in environment services patterns

MK Bowman-amuah - 2002 - freepatentsonline.com

... non-object system, this stream being read and the information is inserted into a **relational database**; ... 171 illustrates a flowchart for a method for **mapping** of retrieved data into objects in ... need for people with detailed skills in a specific communications protocol or aspects of **SQL**). ...

Self-described stream in a communication services patterns environment

MK Bowman-amuah - 2002 - freepatentsonline.com

... 41 illustrates what makes up a **Partitioned** Business Component; ... 52 illustrates a business process to object **mapping**; FIG. ... system streaming itself into a stream, the stream being sent to a non-object system, this stream being read and the data inserted into a **relational database**; ...

Clean-up of orphaned server contexts

MK Bowman-amuah - 2002 - freepatentsonline.com

... 41 illustrates what makes up a **Partitioned** Business Component; ... 52 illustrates a business process to object **mapping**; FIG. ... system streaming itself into a stream, the stream being sent to a non-object system, this stream being read and the data inserted into a **relational database**; ...

Method for providing communication services over a computer network system

MK Bowman-amuah - 2001 - freepatentsonline.com

... 41 illustrates what makes up a **Partitioned** Business Component; ... 52 illustrates a business process to object **mapping**; FIG. ... system streaming itself into a stream, the stream being sent to a non-object system, this stream being read and the data inserted into a **relational database**; ...

System, method and article of manufacture for a globally addressable interface in a ...

MK Bowman-amuah - 2001 - freepatentsonline.com

... non-object system, this stream being read and the information is inserted into a **relational database**; ...

171 illustrates a flowchart for a method for **mapping** of retrieved data into objects in ... need for people with detailed skills in a specific communications protocol or aspects of **SQL**). ...

All 3 versions

[HTML] 20-GATE< language> An algebraic language for the {G-20}, developed at { ...

dvo.ru [HTML]

J File, HPS Bus, OTB Style - **database**, 1995 - parallel.dvo.ru

... 5NF. {**database** normalisation}. 5th Glove. ... typically be specified by an abstract syntax in terms of. categories such as "statement", "**expression**" and "identifier". ... AGP dynamically allocates the PC's normal RAM to store the. screen image and to support {texture **mapping**}, {z-buffering ...

Related articles - View as HTML - All 8 versions

[DOC] Development of an Aquatic Animal Diversity Information System (AADIS): ...

onefish.org [DOC]

I Pettman - Consultant's Report to the Food and Agriculture ..., 2002 - onefish.org

... Integration of or **mapping** to these functionalities to meet users needs and expectations may require ... genetic mark-up languages (GeneXML, GEML and MAML) using standard based **SQL** as its ... have its own defined 'crawlers' to fetch pages to the AADIS **database**, based on HTTP ...

Cited by 2 - Related articles - View as HTML

[PDF] IBM WebSphere Performance Pack: Load Balancing with IBM SecureWay ...

ibm.com [PDF]

M Pistoia, C Letilley - International Technical Support ..., 1999 - www-06.ibm.com

... In a Web site, the AFS clients can be installed on HTTP servers to reduce the administrative effort associated with maintaining URL to file I/O **mapping** relationships. ... System **databases** track data location information, authentication information and protection groups. ...

Cited by 6 - Related articles - View as HTML - All 7 versions

[PDF] ADA USER JOURNAL

ada-europe.org [PDF]

M Kersten, J Matthes, CF Manga, S Zipser, HB ... - Ada User ..., 2002 - ada-europe.org

Page 1. Ada User Journal Volume 23, Number 3, September 2002 ADA USER JOURNAL Volume 23 Number 3 September 2002 Contents Page Editorial Policy for Ada User Journal 122 Editorial 123 News 125 Conference Calendar 160 Forthcoming Events 167 Articles ...

Related articles - View as HTML - All 2 versions

[BOOK] Increasing the Value of Meta Data by Using Associative Semantic ...

tu-graz.ac.at [PDF]

M Mair - 2002 - fiicm2pc43.tu-graz.ac.at

... This linking is fast, direct and labyrinthian in the sense that the memory **map** is many-to-many. ... copy of the file, distills it down to the essential data and stores it in a **data base**. ... The richness of stored attributes and the speed of searching its **database** is what determines the quality ...

Related articles - View as HTML - All 9 versions

Configuration of a directory system

ML Benson, J Liu, M Leibmann, D ... - US Patent App. 10/ ..., 2003 - Google Patents

... MS1-1576, entitled "**Relational** Directory," by Kim Cameron, Max L. Benson, Matthias Leibmann,

Mark ... and projecting the information into the storage layer according to **mapping** policies in ... the storage layer 212 may include a structured query language **database** (**SQL**), in which ...
All 2 versions

Declarative rules for metadirectory

K Cameron, ML Benson, JH Booth - US Patent App. 10/435,113, 2003 - Google Patents
... MS1-1576, entitled "**Relational** Directory," by Kim Cameron, Max L. Benson, Matthias Leibmann, Mark ... and projecting the information into the storage layer according to **mapping** policies in ... the storage layer 212 may include a structured query language **database** (**SQL**), in which ...
All 2 versions

[PDF] Technologies for Thin Client Architectures   uzh.ch [PDF]

M Stock, R Nr, L Richter, R Riedl, P Schnorf, U Basler - 2001 - ifi.uzh.ch
... is heavily supported by numerous **database** vendors (by providing remote **SQL**). ... **Relational database** management systems, 4th generation programming languages, multi- media applications and ... Load balancing for **database** systems is particularly demanding, as consistency ...
Cited by 2 - Related articles - All 6 versions

[PDF] Prof. Edward A. Fox–Chairman Prof. John M. Carroll Prof. Roger W. Ehrich   psu.edu [PDF]

R KELAPURE - 2003 - Citeseer
... approach based on a formal, theoretical framework; 2) use of state-of-the-art **database** and software ... models in the DL domain.....13 Table 4.1 5SLGen component functionality.....41 Table 5.1 **Mapping** of 5SLSocieties ...
Related articles - View as HTML - All 3 versions

[BOOK] Mobile software agents for network monitoring and performance ...   psu.edu [PDF]

D Gavalas - 2001 - Citeseer
... has been a subject of intense research in the past few years, reflected on the proliferation of MA platforms (**MAP**) expressly oriented to distributed NSM. However, the applicability of ... **MAP** .... 62 3.6.1.9. ...
Cited by 16 - Related articles - View as HTML - All 3 versions

[PDF] A Bibliography of Papers in Lecture Notes in Computer Science (2001)(Part ...   psu.edu [PDF]

NHF Beebe - Space, 1797 - Citeseer
Page 1. A Bibliography of Papers in Lecture Notes in Computer Science (2001) (Part 4 of 4) Nelson HF Beebe Center for Scientific Computing University of Utah Department of Mathematics, 110 LCB 155 S 1400 E RM 233 Salt Lake City, UT 84112-0090 USA ...
View as HTML - All 4 versions

ldap mapping sql relational databas + Search

Go to Google Home - About Google - About Google Scholar

©2010 Google

◀ Google ▶

Google ⬇⬛⬆

ldap mapping sql relational database partitioning expression | Search | Advanced Search

☆☆☆☆☆⊠⊞⊟
★★★★★ ⊞⊟☺ ▶
Google Checkout ▶ ⬤▶

Web

Results **1 - 100** of about **22,800** for **ldap mapping sql relational database partitioning expression**. (**0.52** seconds)

⊞
Show options...

1. 9 Synchronization with **Relational Database** Tables

Retrieving the data from the database. This involves executing a **SQL** SELECT ...
Example: Synchronizing a **Relational Database** Table to Oracle Internet Directory ... in
the SELECT statement must be simple names rather than **expressions**. .... from the
database, the **mapping** rules are applied to the record, and **LDAP** ...
download.oracle.com/docs/cd/E10773_01/doc/oim.../odip_db.htm - Similar

   2. Oracle 11g **Database** New Features

Oracle **Database** Rules Manager and **Expression** Filter Developer's Guide for
details ... System-managed domain indexes with range **partitioning** are supported in
this release. .... **Mapping** any Java types to a general purpose **SQL** data type
(ANYTYPE). ..... Oracle **Database** Object-**Relational** Developer's Guide for details ...
download.oracle.com/docs/cd/B28359_01/.../chapter1.htm - Cached - Similar

   ◢

Show more results from download.oracle.com

3. Efficient implementation of lightweight directory access protocol ...

The present invention solves the problem of efficiently **mapping** an **LDAP** filter into
an .... The inventive technique may be used to search any **relational database**
using .... **SQL Expression** WHERE columnname = `value` Ranges: **LDAP** filter ..... to
perform query evaluation plan, pruning based on the **partition** properties ...
www.patentstorm.us/patents/6356892/description.html

   4. Method of hierarchical **LDAP** searching with **relational** tables - US ...

Mapping the naming hierarchy 41 into the first and second tables 43 and 45 provides
the ..... The invention may also be implemented within a **relational database**
management ... EID=pchild.EID AND pchild.PIED=<root dn id> <**sql** where
expressions>) .... Inventor: Gilbertson, et al.5448727, Domain based **partitioning**

and ...

www.patentstorm.us/patents/6085188/description.html

◢

Show more results from www.patentstorm.us

5. **Partitioning** data access requests - Patent 7340447

by SP Ghatare - 2008 - Related articles

The **partition expressions** can have one or more variables. ...... In one embodiment, a
LDAP SEARCH operation maps to a **SQL** SELECT operation, ... If the data request is
for **relational database** server 450 , then the request ... 5 is performed once for
RDBMS **Mapping** Catalog 438 and once for **LDAP Mapping** Catalog 440 . ...
www.freepatentsonline.com/7340447.html

6. Efficient implementation of lightweight directory access protocol ...

by CF Corn - 2002 - Cited by 7 - Related articles
A method for searching a **relational database** from a Lightweight Directory .... is to
map LDAP logical operators efficiently for use in an **LDAP** relational .... this
configuration automatically **partitions** the database into different machines 38 . ....
SQL Expression. WHERE columnname = 'value'. Ranges: **LDAP** filter ...
www.freepatentsonline.com/6356892.html

◢

Show more results from www.freepatentsonline.com

7. Comparison of **relational database** management systems - Wikipedia ...

Note (2): Can be implemented for most data types using **expression**-based
indexes. ..... Note (1): PostgreSQL 8.1 provides **partitioning** support through check
constraints. ... Yes (**LDAP**, Kerberos, ...) Yes ? Yes, Yes, Yes, Yes, Yes (EAL4+ 6) ...
An **SQL** schema is simply a namespace within a **database**, things within this ...
en.wikipedia.org/.../Comparison_of_**relational_database**_management_systems
- Cached - Similar

8. Proceedings Template - WORD

by N Zhou - 2004 - Cited by 2 - Related articles
the database is retrieved using the **SQL** queries in the execution nodes, thereby
creating an array of ... shredding tree, which defines the appropriate XPath
expressions ... **mapping** between XML and **relational databases** and **LDAP**. The ...

◀

Show map of 150 Kettletown Rd, Southbury, CT 06488

portal.acm.org/ft_gateway.cfm?id=1013507&type=pdf

9. Re: [SAtalk] **LDAP** Storage instead of **SQL** Storage

Being a **database** person more that an **LDAP** person, I tried to **map LDAP** to a
relational model, just like you do, and it blew up in several ugly ways. **...**
www.mail-archive.com/spamassassin-talk@lists.../msg14574.html - Cached

10. slapd-**sql**(5) Mac OS X Manual Page

CONFIGURATION These slapd.conf options apply to the **SQL** backend **database**, **...**
id_query **<SQL expression>** The query that is used to **map** a DN to an entry in **....**
your **LDAP** tree, and values of primary keys for corresponding **relational** data. **...**
developer.apple.com/mac/library/documentation/.../slapd-**sql**.5.html - Cached

11. CLiki : **database**

... libldap2 C library, providing UFFI-supported Common Lisps with an **LDAP**
interface **...** is an Object Database, implementing orthogonal persistency for LISP and
CLOS **...** an s-**expression** based database schema format medium into appropriate
SQL ... is a Common Lisp library for interfacing **relational Database** via ODBC **...**
www.cliki.net/**database** - Cached - Similar

12. pyparsing - WhosUsingPyparsing

Alexandru Toth wrote this utility to graph the structure of **SQL ...** His website includes a
(semi-)automatically generated image **map** of this world **map ......** table name to **LDAP**
query DN string; where **expressions** into **LDAP** queries filters **....** to access files as if
they were entries in **relational database** tables. **...**
pyparsing.wikispaces.com/WhosUsingPyparsing - Cached - Similar

13. Inventions on **LDAP** access Interface

by U Mishra - Related articles
7.4 Generating **SQL** query statements for **LDAP** Search Filter .... **.....**
relational database. The invention also provides a method for automatically **...** US
Patent 6356892 discloses a method of converting **LDAP** filter **expressions** to **...** on
partial characteristic **mapping** for a given document (Principle **...**
papers.ssrn.com/sol3/Delivery.../SSRN_ID925940_code646786.pdf?...1

14. Dev Shed Forums - Open Source web development

Regular **expressions** forum covering PCRE and POSIX techniques, practices, and
standards. **....** MySQL is an open-source **relational database** management system (
RDBMS). **...** Firebird **SQL** Development forum discussing administration, Firebird
SQL ... LDAP Programming forum discussing Lightweight Directory Access Protocol **...**
forums.devshed.com/ - Cached - Similar

15. OakLeaf Systems: Examples of Scaling **Relational Databases** Up and Out

My A Mid-Course Correction for **SQL** Data Services posts of 2/24/2009 and **SQL** Data
Services ... Anyone who has tried to build a solution based on **partitioned databases**
will know that the ..... LINQ to **Expressions** (1); LINQ to Financial Markets (1) .....
"Streamline **Mapping** with Orcas and LINQ" (December 2005) **...**
oakleafblog.blogspot.com/2009/.../examples-of-scaling-**relational**.html - Cached

16. Synchronization with **Relational Database** Tables, 3 of 3

Example: Synchronizing a **Relational Database** Table to Oracle Internet ... in the
SELECT statement must be simple names rather than **expressions**. .... from the
database, the **mapping** rules are applied to the record and **LDAP ...** Any other
attributes in the **mapping** file that are not in the data retrieved by the **SQL** are ...
www.deakin.edu.au/its/dba/oracle...0.../odip_db3.htm - Cached - Similar

17. [PDF] Storage Techniques and **Mapping** Schemas for XML

File Format: PDF/Adobe Acrobat - Quick View
by S Amer-Yahia - 2003 - Cited by 15 - Related articles
ing the use of relational and object systems, **LDAP** directories, and native XML
databases. ..... zontally **partitioning** the Edge table on its name field. This .... Microsoft
provides extensions to **SQL** to publish relational data ... describes a **mapping** to a
relational database [28]. The view speci- ...
citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.9.834&rep...

18. rpbourret.com - XML **Database** Products: Middleware

Relational databases are updated by the ddtek:**sql**-insert, ... DB/XML Transform
uses XPath **expressions** to **map** between source and target data and can perform **...**
www.rpbourret.com/xml/ProdsMiddleware.htm - Cached - Similar

19. rpbourret.com - XML **Database** Products: Data Integration Software

Data sources: **Relational**, XML **databases**, Lotus Notes, Salesforce, **LDAP**, flat files,
etc. **...** using constant values, or using the built-in **expression** language. .... **map** data
to an XML structure. Views are queried with **SQL** or XQuery. ...
www.rpbourret.com/xml/ProdsDataIntegration.htm - Cached - Similar

Show more results from www.rpbourret.com

20. [PPT] Viewing and Querying **Relational Databases** in XML

File Format: Microsoft Powerpoint - View as HTML

Data stored in **SQL databases** need to be published in XML for data exchange ... (
Object) **Relational**, OO, **LDAP** directories; Indexing, recovery, ... XML data mapped
into DOM; XPath **expressions** specify XML values to **map** into tables; Rows in table **...**
data **partitioning**; indexing on both values and structure **...**
www.cs.rutgers.edu/~muthu/RUTGERS2002.ppt - Similar

21. Migrating **LDAP** servers with WebSphere Portal V4.2 and IBM **...**

... **LDAP** to JDBC or SOAP, and authenticate against a **relational database**, ... You
should have a good knowledge of DB2 and **SQL** commands in order to **...** Open a DB2
command prompt and make a connection to the database. **....** Table 3 shows the
mapping between the objectAttribute and pluginAttribute names that we used. **...**
www.ibm.com/developerworks/websphere/.../lawrence.html - Cached - Similar

22. Bring existing data to the Semantic Web

May 1, 2007 **...** Its syntax is similar to that of **SQL**, and SPARQL queries consist of a
series of triple **....** To **map** an **LDAP** property that points to a distinguished name, **.....**
and make **relational database** and **LDAP** queryable with SPARQL. ...
www.ibm.com/developerworks/library/x-semweb.html - Cached - Similar

◢

Show more results from www.ibm.com

23. Extension:External Data - MediaWiki

5.3 #get_ldap_data - retrieve data from **LDAP** directory **...** #get_db_data retrieves data
from a **relational database** .... from - an **SQL** from clause; where - an **SQL** where
clause; data - **mapping** of database column names to local variables. **...** ...where
"expression" is a string that contains one or more variable names, ...
www.mediawiki.org/wiki/Extension:External_Data - Cached - Similar

24. Individual projects -- Projects -- 2007-2008 -- info.uvt.ro **...**

... should be done to them is for correcting spelling mistakes or common
expressions. ... 8.1 **Relational database** to object **mapping**; 8.2 **Relational
database ...** (Eg. ISC DHCP Server) to support **LDAP** based configuration and lease
database. **....** XML based requests for describing relational queries; (not **SQL**
wrapped ...
beta.wikiversity.org/.../Individual_projects_--_Projects_--_2007-2008_--_info.uvt.ro
- Cached - Similar

25. IBM DB2 Version 9 New Features, Paul Zikopolous, Book - Barnes & Noble

Examples of Navigating XML with an XPath **Expression** 13 ... Why XML in a
Relational Database? 20 pureXML Solves Your Data Problems 21 ... Database

Partitioning Feature Support in DB2 9 112 ... **LDAP** Security Plug-in 297. **LDAP** Plug-in Availability 297 ... Storage **Mapping** of Range-**Partitioned** Tables 318 ...
search.barnesandnoble.com/IBM-DB2...9.../e/9780072264593 - Cached

26. **LDAP, Databases** and Distributed Objects: Towards a Better Integration

optimiser, vertical **partitioning** techniques on attribute values are not ..... Building a **mapping** between the **relational** model and the **LDAP** model is not easy. .... the **database** field with the **SQL** query language and the RDA protocol [17]). ... We extend DQL to manage regular path **expressions**, to query the Directory ...
www.springerlink.com/index/arj32pgxalv36fdm.pdf

27. Oracle10g New Features

His experience ranges across multiple **relational database** systems. Madhu is frequent speaker at Oracle World ... Enhanced **Partition** Management in Enterprise Manager ... Enhanced CONNECT BY Support. Oracle **Expression** Filter. **SQL** Regular. Row Timestamp ... Database Authentication with Standard **LDAP** Password Verifiers ...
www.rampant-books.com/book_0302_oracle10g.htm - Cached - Similar

28. Building a LINQ Provider

For instance when querying data stored in a **relational database**, ... in the case of Active Directory the same **expression** tree can be converted to an **LDAP** filter. ... As our provider uses a very similar **mapping** technique to LINQ to **SQL**, ...
msdn.microsoft.com/en-us/vcsharp/ee672195.aspx - Cached

29. Using **SQL** Server 2008 Reporting Services with the.NET Framework ...

Report model design from Teradata **relational** data sources ..... The following table shows the **mapping** from Teradata **database** data types to the . ... Teradata supports using ANSI interval **expressions** and arithmetic operators on interval .... **LDAP** (Lightweight Directory Access Protocol): **LDAP** is a standard directory ...
msdn.microsoft.com/en-us/library/dd182005.aspx - Cached - Similar
More results from msdn.microsoft.com »

30. Enterprise Java Community: Cayenne: Being Productive with Object ...

Typical Cayenne project consists of **mapping** and **database** access objects (both ... DataNodes do not have to be JDBC-compliant or **relational** (though ... It is possible to have DataNodes for other types of data, such as flat files or **LDAP**. .... **expression** language for object and **database** graph traversal and **SQL**-like ...
www.theserverside.com/articles/article.tss?l=Cayenne - Cached

31. Python Package Index : Index of Packages Matching **'sql'**

model 0.6.0, 3, Object **Relational** Mapper (**SQL database** wrapper) .... dbcook 0.2, 1, framework to abstract **database-mapping** of objects/relations as python declarations, ... Products.ldapconnection 0.1a1, 1, **LDAP** connection for Zope ... PyORQ 0.1, 1, Object **Relational** binding with Queries as Python **expressions** ... pypi.python.org/pypi?%3Aaction=search&term=**sql** - Cached

32. Cover Pages: Cover Pages News Clippings 2002-12

Dec 26, 2002 ... [December 10, 2002] Constraining TMs with AsTMa Topic **Map** Processing. ... In the same way as **relational databases** are constrained by schemas and XML ... applications that traditionally use on **SQL** based **relational databases**. ... user information from a **relational database** to a **LDAP** server to increase ... xml.coverpages.org/clippings200212.html - Cached - Similar

33. EclipsePlugins : plugin search

Version 0.5.6An Eclipse plugin for browsing and editing **LDAP** directories. .... Unlike many proprietary object/relational **mapping** tools, ... existing **relational database** technology from Java without needing to know **SQL** or be an ... containing mathematical **expressions**, but it is capable of editing virtually any XML. ... eclipse-plugins.2y.net/eclipse/search.jsp?query=schema - Cached

34. the transactional **database** Free Download - linux software

... such as: regular **expressions**, simple search and boolean search. .... DB Visual ARCHITECT is an Object-**Relational Mapping** tool which provides an easy-to-use ... SIDVault is a full featured **LDAP** server with integrated web interface. more>> ... RazorSQL includes an **SQL** editor, query tool, and built in **database**. ... linux.wareseeker.com › Free Download Search - Cached

35. Advanced Information System Queries: ldapsearch

Feb 26, 2008 ... The **LDAP mapping** for GLUE defines two extra attributes to help with queries. ... The **LDAP** server in EGEE is known as a BDII (Berkely **Database** Information .... Objectclasses can be matched using an **expression** like (objectclass=GlueCE) . ... It is not possible to do **relational** queries, for example ... egee-uig.web.cern.ch/egee-uig/.../Advanced**ldap**search.html - Cached - Similar

36. Authenticating against **LDAP**/Active Directory with **SQL** Server 2000 ...

Copy **Database** Error using **SQL** SERVER 2005 Hi, There are a few things to check to .... If you shred big xml document to **relational** tables, openxml is much faster. ... SSIS date **mapping** You want DB_TIMESTAMP as the type for your destination ... Arithmetic overflow error converting **expression** to data type datetime. ... www.windows-tech.info/15/3549e15461955b76.php - Cached

37. MS **SQL** Server :: How To Move Server Root Directory To Another **...**

Move **Sql Database** From Development Machine To Server With Active Directory **...** Does Anyone Know How To Change The Document **Map** Root Text? **...** Converting **Relational** Data Into XML With ROOT NODE NAME In **SQL** 2000. **....** We are writting an erp for group,and want to use **partition** of **sql** server 2005 for large data,our **...** www.bigresource.com/MS_**SQL**-How-to-move-server-root-directory-to-another-**partition**--GlfzUMxv.html - Cached - Similar

38. Bob's **SQL** Reporting Services Blog

This is done by setting the text box's Fill color to an **expression** similar to **......** performance over a **relational database** (on AdventureWorks on my laptop, **...** blogs.msdn.com/bobmeyers/ - Cached - Similar

39. Manning: **LDAP** Programming, Management and Integration

database records comparison to **LDAP** entries 36 databases **mapping** to **LDAP** namespace 149 migrating to **LDAP** 152 **....** regular **expressions** alternatives when parsing XML 186 **...** **relational database**. See RDBMS relational integrity 118, 232 and groups 135 **...** **SQL** JOIN lack of similar concept in **LDAP** 88. **SQL** queries **...** www.manning.com/donley/excerpt_index.html - Cached - Similar

40. Query language: Facts, Discussion Forum, and Encyclopedia Article

one of the earliest **relational database** management systems;; **LDAP** is an **...** Multidimensional **Expressions** is a query language for OLAP databases, **...** **SQL** is a database computer language designed for managing data in **...** and Oracle databases;; TMQL Topic **Map** Query Language is a query language for Topic Maps;; XQuery **...** www.absoluteastronomy.com/topics/Query_language - Cached - Similar

41. XML and Data Binding

The algorithm applies to any XQuery **expression**, except those containing recursive **...** The algorithm obtains cost estimates for **SQL** queries from the relational engine. **...** If **mapping** information is made accessible, optimizing and reusing **...** the data base community towards storing XML data into **relational databases**. **...** homepages.inf.ed.ac.uk/wadler/xmlbinding/ - Cached

42. ActiveRoles Quick Connect Release Notes

Feb 24, 2009 **...** OLE DB: Implements connections to **relational databases** using an OLE DB provider. **....** Ensure that **mapping** rules are configured for all classes of objects that **...** Delimited text file; Microsoft **SQL** Server; **LDAP** Directory **...** www.quest.com/.../QCforBaseSystems_110_ReleaseNotes.htm - Cached - Similar

43. [PPT] Oracle **SQL** Developer - Focus on a Few Features

File Format: Microsoft Powerpoint
Database connections. OS authentication, Proxy, **LDAP**; Force thick driver usage;
Group connections in folders **...** Watches **expressions**; View debug log. Remote
Debugging **...** To one or more **relational** Models. **Mapping** from **Relational ...**
nocoug.org/download/2008-11/NorthCaliforniaUserGroup.ppt - Similar

44. RDF/**SQL**

SquirrelRDF provides access to relaltional databases, **LDAP** servers and IMAP
servers. **...** The conversion is based on Tim Berners-Lee's "**Relational Databases** on
the **...** Such a **mapping** approach is not specific to **SQL** databases and suggests **...**
www.w3.org/2007/03/RdfRDB/papers/seaborne.html - Cached - Similar

45. Brian Ritchie's Weblog

enhancing a multi-platform **relational database** management system based on the
source **....** #Unit (much improved Unit Testing framework); Regular **Expression**
search **...** **SQL** Server Is Tops Table **partitioning** occurs horizontally across **....** http://
www.eudora.com/free/**ldap**.html. Embedded Database (used by **ldap** server) **...**
www.dotnetpowered.com/weblog.aspx - Cached

46. Chapter 1. Advanced Information System Queries: ldapsearch

Sep 15, 2009 **...** The **LDAP mapping** for GLUE defines two extra attributes to help with
queries. **...** The **LDAP** server in EGEE is known as a BDII (Berkely **Database**
Information **....** Objectclasses can be matched using an **expression** like
(objectclass=GlueCE) . **...** It is not possible to do **relational** queries, for example **...**
www.eu-egee.org/fileadmin/documents/.../Advanced**ldap**search.html - Cached

47. Microsoft Cloud Services Architecture

... integrity P • Single site, cluster database, **LDAP**, xFS file system, etc. **...**
Consistency + **Partition** C A • Distributed database, distributed locking, etc. **...** Internet-
facing database built on **SQL** Server **relational database** • Data **...** search, **mapping**
data Development Platform Uniform way for programming **...**
www.slideshare.net/.../microsoft-cloud-services-architecture-presentation
- Cached - Similar

48. 1471-2105-9-28 1471-2105 Software The XBabelPhish MAGE-ML and XML **...**

For example, one might import MAGE-ML into a **relational (SQL) database**, **....** A
targetWithValueQuery typically uses a FLWOR **expression** 8 . **....** But a general
translation algorithm for XML -> **LDAP** is problematic. **....** Comprehensive Solution to
the XML-to-**Relational Mapping** Problem http://shrex.sourceforge.net/ eXist **...**

www.biomedcentral.com/content/download/.../1471-2105-9-28.xml - Cached

49. What's New: What's New in SAS/ACCESS 9.2 for **Relational Databases**

Dec 10, 2009 ... SAS Information **Map** Studio; SAS Integration Technologies ... All
Supported SAS/ACCESS Interfaces to **Relational Databases** ... **SQL** views. tables.
aliased **expressions**. **expressions** that use the CALCULATED keyword .... **LDAP**
function for the USER= and PASSWORD= connection options in the LIBNAME ...
support.sas.com › ... › SAS 9.2 Documentation - Cached - Similar

50. XML.com: Getting Started With Cocoon 2

These can be XSL, **SQL**, SOAP, **LDAP**, or custom. The primary requirement is to
accept in ... Search file sitemap.xmap for **<map**:match pattern="hello.html"> and you
will ... Existing Cocoon components can access **relational** and XML **databases**, ...
www.xml.com/lpt/a/996 - Cached - Similar

51. Zope.org - An Introduction To Zope

URLs **map** naturally to objects in the hierarchical Zope environment based on their
names. ... This example calls an **SQL** query object and builds a table by iterating
over ... Zope supports most common **relational databases**, including Oracle, ... pulled
from a **relational database** or resources from an **LDAP** directory. ...
www.zope.org/Resources/ZopeIntro/ - Cached - Similar

52. IdPAddAttribute - Shibboleth 2 Documentation - Internet2 Wiki

Nov 17, 2009 ... The **relational database** connector is used to pull attributes from a
relational database by executing some configured **SQL**. ... pull attributes from an
LDAP directory by executing an **LDAP** filter on a specific branch. ... The mapped
attribute definition is used to **map** an attribute's values to different ...
https://spaces.internet2.edu/display/SHIB2/IdPAddAttribute - Cached - Similar

53. [PDF] **LDAP** Theory and Management

File Format: PDF/Adobe Acrobat - Quick View
by B Marshall
LDAP isn't a **relational database**. No rollback for failed operations ...... If **partitioning**
allows traffic to remain local, won't have to cross slow WAN links .... Can provide name
mapping to translate from original data source to **LDAP** ... either **LDAP** or **SQL**.
Indirect connector: converts from source data into. **LDAP** ...
quark.humbug.org.au/publications/**ldap**/**ldap**-theory.pdf - Similar

54. Virtuoso Open-Source Wiki : Virtuoso **Database** FAQ

Virtuoso implements a traditional **relational database** engine's ... such as consulting

an **LDAP** directory for the user's credentials. **....** When an XPATH query is evaluated against a **mapping** schema, Virtuoso generates an **SQL** query, ... A free text **expression** may be embedded inside an XPath predicate using a special **...**
www.openlinksw.com/dataspace/dav/wiki/.../VOSDBFAQ - Cached - Similar

55. Technical White Paper

Oct 10, 2008 ... **LDAP**. WWF. Admin Pages. User/. Group. Sync. Active Directory ... **SQL** Database Connector and 2. The Web Services Connector. ... security information from the **relational database** and **map** it to AD accounts **...**
www.ba-insight.net/collateral/connectorwhitepaper-overview.pdf - Similar

56. The Web Application Security Consortium / Improper Output Handling

Web applications are often backed by **relational databases** to persist and report on data. **....** Many ready-made regular **expressions** that deal with common input/output ... [10] http://projects.webappsec.org/**LDAP**-Injection. OS Commanding ... [20] http:// projects.webappsec.org/**SQL**-Injection. WASC Script **Mapping** Project ...
projects.webappsec.org/Improper-Output-Handling - Cached

57. A practical approach to extracting DTD-conforming XML documents **...**

by SK Chen - 2006 - Cited by 7 - Related articles
Note that there are different description schemes to express the **mapping** logic **....** The accessing mechanism for **relational databases**, such as DB2, **SQL** server ... in the actual implementation they are parsed into **expression** trees. **....** 8 shows a sample DTDSA that includes new methods for accessing **LDAP** directories. ...
linkinghub.elsevier.com/retrieve/pii/S0020025504003561 - Similar

58. [PPT] Introduction to Kodo JDO and Java™ Data Objects

File Format: Microsoft Powerpoint - View as HTML
Jan 13, 2005 ... CTO at SolarMetric; Involved in object/**relational mapping** and EJB since 1999; Frequent JDO presenter at **....** Legacy **Database** Support. Stored Procedure Support; **SQL** Support ... Legacy EIS (CICS, Unisys, others) (ask for details); **LDAP** (coming soon) **....** pattern is a subset of regular **expressions**: ...
java.ociweb.com/javasig/knowledgebase/.../StLouis-13-Jan-2005.pps - Similar

59. Storing XML

Feb 1, 2010 ... Storing XML 31 Queries on Structured Data • Analogs of **SQL ....** 2001 W3C XML representation of a **relational database** In **...**
www.docstoc.com/docs/24005218/Storing-XML - Cached

60. [PDF] Implementing **LDAP** Directory Hierarchy with Relations

File Format: PDF/Adobe Acrobat
by SB Shi - 2006
relational database as a robust, scaleable data store for. **LDAP** directory information.
One of the sailent feature ..... A second challenge is to **map LDAP** to relational
tables .... **SQL expression** corresponding to an **LDAP** filter that can ...
dspace.lib.fcu.edu.tw/bitstream/2377/.../ce07ics001998000152.pdf - Similar

61. PylonsHQ - Documentation - Models

... won't care at all whether a list of users came from a **database** or an **LDAP**
server. ..... See especially the Data **Mapping** and Session / Unit of Work chapters. ....
The object-**relational** mapper (ORM) lets you interact with the **database** using ... The
SQL expression language has many methods to create customized **SQL** ...
pylonshq.com/docs/en/1.0/models/ - Cached

62. DB2 9 for LUW Advanced **Database** Administration for Experts **...**

Implement DB2 support for Lightweight Directory Access Protocol (**LDAP**) or DB2 thin
client .... the High Water Mark and describe the **mapping** of extents to the DMS table
space ... Select between table **partitioning**, MDC, and DPF **database partitioning ...**
Fast Path to DB2 9 for Experienced **Relational** DBAs (CL281) or ...
learning.dice.com/index.php?action=view_job&jobID...ref... - Cached

63. **[PDF]** Philip Wik ORACLE BRAIN DUMP ORACLE 9i PL/**SQL**

File Format: PDF/Adobe Acrobat - Quick View
A searched CASE allows you to do more than match on a single **expression. ...**
Database. Partitioning. Indexes. Managing **database** storage .... Security is **LDAP**/
Pearl/COM wrapper. UNIX/Windows NT **... Mapping** documents. Rules that define
data clean up and enhancement **...** Create a **relational** data model. Normalize ...
mymallandnews.bizland.com/ORACLE.PDF - Similar

64. PC New Features 80

For repository authentication, you can use **LDAP** or native authentication. ... You can
use a flat file or **relational** source column as a domain. ... **Database partitioning**. You
can use the **database partitioning partition** type with Oracle and DB2 ... You can
include the functions in **mapping** and workflow **expressions. ...**
www.scribd.com/doc/6887744/PCNewFeatures80 - Cached - Similar

65. Oracle 9i 'PROJECT XDB' – The XML **Database**

You can specify an existing **SQL** object type to **map** to rather than having XDB
generate .... as JNDI service providers other than XDB, like an **LDAP** directory. ...
ExistsNode() **expressions** on XMLTYPEs stored as LOBs (using the text index) ....
With XDB, you get all the advantages of **relational database** technology and ...

www.grandpoohbah.net/Sandeepan/IOUG2001XDB.htm - Cached - Similar

66. [PDF] MetricsMart Datasheet - Altosoft Business Intelligence | Powerful ...

File Format: PDF/Adobe Acrobat - Quick View
relational databases (Oracle, SQL Server, etc.), enterprise applications like ERP and
CRM, ... defined using a powerful expression editor. Event Mapping ...
www.altosoft.com/resources/MetricsMart%20Datasheet%202-12-09.pdf

67. sas, FW: SAS/AF: Get name of the method

Aug 22, 2008 ... 3. LDAP 4. Relational Database technology (including SQL) ...
DownLoad Egypt Smart Village Satellites Images Map from ..... >And because a case
expression is a type of expression, not a type of ...
www.mofeel.net/1169-comp-soft-sys-sas/22671.aspx - Cached

68. Oracle SQL Developer 2.1 Table Of Contents

Monitor sessions; Managing the database; Real-time SQL monitoring ... Reviewing the
Basic connection; Accessing the tnsnames.ora file; Accessing LDAP server details;
Creating advanced ... Importing existing models (bottom up); Building the relational
model ... Mapping objects in SQL Developer to Application Express ...
www.packtpub.com/.../oracle-sql-developer-2-1-table-of-contents - Cached

69. Micro Focus EnterpriseLink™

... Quickly map these to new COM or Java objects, Web pages, XML files, or SOAP-
based .... Interface with other standard security processes such as LDAP, SSL,
Certificates and PDC's .... IBM S/390 100MIPS logical partition or higher with: · SuSE
Linux AS 3.0 ... Any SQL-Based Relational Database Management System ...
www.enterpriselink.com/Info/datasheet.html - Cached

70. Taking the step from meta-information to communication middleware ...

by B Plale - 2001 - Cited by 2 - Related articles
a mapping from a relational schema to the specification and creation of specific event
channels, ... SQL is the ANSI and ISO standard query language for relational
databases. A recent proposal ... like DNS and the LDAP/X.500 protocols, has a
procedu- .... junctionof twoselect expressions. The data records that sat- ...
ieeexplore.ieee.org/iel5/7373/20001/00925038.pdf?arnumber=925038

71. [PDF] Cloud Computing with Microsoft Azure

File Format: PDF/Adobe Acrobat - View as HTML
Relational Databases Scale Up Not Out. Relational Databases scale well on a single
node or cluster ... Single site Database. Database Cluster. LDAP. Two phase commit.

Validate Cache ... Change connection string to get to another **SQL** Server ... Identify objects by unique key (**partition** key / row key) ...
www.reliablesoftware.com/.../Introduction%20to%20Cloud%20Computing%20with%20Microsoft... - Similar

72. Information Technology Division :: ITD Glossary :: University of **...**

... Advanced Learning Center (ALC), Ask TOM, Campus **Map**, eCourseware ... The most typical DBMS is a **relational database** management system (RDBMS). .... **LDAP** (Lightweight Directory Access Protocol) is a software protocol for enabling ... Most commercial RDBMSs use the Structured Query Language (**SQL**) to access the ...
www.memphis.edu/itd/glossary.php - Cached - Similar

73. Apache Derby 10.1.1.0 Release

Derby is a pure Java **relational database** engine using standard **SQL** and JDBC as its APIs. ... Added **SQL**: SYNONYM; JDBC Updatable Result Sets; ORDER by **expressions** ... Configurable authentication including **LDAP** support; Import/Export ..... causes hang with client if **mapping** is invalid, e.g. setByte to DATE ...
db.apache.org › db - Cached - Similar

74. Topic **Map** Query Language, Use Cases

As long as the content can be disciplined into relational data models, ... be it a **relational database** using **SQL** or a hierarchically organised **LDAP** ... Let us assume a Topic **Map** based database containing information about animals. ...
www.isotopic**maps**.org/tmql/use-cases.html - Cached - Similar

75. [PPT] Building Mobile Applications

File Format: Microsoft Powerpoint - View as HTML
You build applications for living; Each talks to **relational Database**; At the least, ... **LDAP** (Active Dir). LINQ to. Amazon. LINQ to. Google Desktop. LINQ to ... Syntax that resembles a **SQL** Query. Query **Expression** Structure: .... With **mapping** wizard, create a new Entity Data Model; Automatically generate 1-to1 ...
www.hands-on-coding.net/.../Getting%20Started%20With%20LINQ%202009.ppt

76. SYSTEM AND METHOD FOR BUSINESS OBJECT MODELING - Patent application

A computer-implemented method for extending an object-**relational mapping** system ...... 16 can generate the **SQL** query that is executed on the **database** looking for ..... of hierarchy and visibility implicitly provide data **partitioning**. .... can provide a mechanism to allow an enterprise to **map** multiple **LDAP** schemas, ...
www.faqs.org/patents/app/20090259683 - Cached

77. A

message value **map** 1. Messaging Application Programming Interface (MAPI) 1 ...
Microsoft **SQL** Server adapter. account attributes 1. identity template 1. installing 1 ...
relational database support 1. Reliable Messaging Support field 1. Remedy
adapter .... virtual list view support, **LDAP** adapter 1 ...
docs.sun.com/source/820-2959/ix.html - Cached

78. DB2 9 for LUW Advanced **Database** Administration for Experts(CL461 **...**

Fast Path to DB2 9 for Experienced **Relational** DBAs (CL281) or **...** Enable DB2 LUW
Lightweight Directory Access Protocol (**LDAP**) support **...** Use the DB2 provided
Administrative Views and Routines in **SQL** SELECT statements to retrieve **....** Select
between table **partitioning**, MDC, and DPF **database partitioning** depending **...**
www.exitcertified.com/.../db2-9-luw-advanced-**database**-admin-experts-CL461.html
- Cached - Similar

79. retrieve data field text ms **sql** server # 2192488

Jan 23, 2010 **...** In this case, the destination is either a table in the **relational database**
or a file such as a flat file. The staging BAPI is used to load **...**
www.johns-web-site.com/index.php?month=2010-01&id... - Cached

80. **[PDF]** Key Concepts and Services of a Grid Information Service

File Format: PDF/Adobe Acrobat - Quick View
by B Plale - Cited by 62 - Related articles
is, **mapping** a hostname to an IP address, or a loca- ... directory services, an **LDAP**
service such as MDS-1 and MDS-2 3], and a **relational database** approach, such as is
promoted in 4]. **....** **SQL** is declarative, queries are optimized so are highly efficient. **...**
partitioning of the data space and distribution of the **...**
www.cs.northwestern.edu/~urgis/pdcs2002.pdf

81. An Introduction to **LDAP**

First, the protocol cannot and will not supplant **relational databases**. **...** true relational
structure, or a relational query language like **SQL**. **.....** The seventh search parameter
is the search filter, an **expression** that describes the types of **....** The **LDAP** C API
defines a set of core functions that **map** almost **...**
www.eecg.toronto.edu/~jacobsen/courses/.../**ldap**/**LDAP**impl.htm - Cached

82. **[PDF]** Skuery: Manipulation of S-**Expressions** Using XQuery Techniques.

File Format: PDF/Adobe Acrobat - View as HTML
by K Tew - 2006 - Related articles
of semistructured data such as parse trees, **LDAP** directories, file systems, bulk **......**
Continuing to barrow from the **SQL relational** model, FLWOR statements can **.....** and

storage **mapping** techniques. The intent of the XMark designers was to create **...** in the auction **database** descendant XPath **expressions ...**
kevintew.com/thesis.pdf

83. AKSW : Projects / R 2 D 2

Feb 23, 2007 **...** Hence, the transformation of data located in **relational databases** to RDF plays an essential role. **...** So if you want the RAP database to manage your **map** you can copy a **...** Database dump: file:wordpressMySQL.**sql** (My **SQL** database) **...** Regular **expressions** in find(spo) or SPARQL are not yet supported. **...**
ontowiki.net/Projects/R2D2 - Cached

84. Schema Crawler Software by Name - !R-Linux Data Recovery, !R-Linux **...**

Creation of image files an entire disk, **partition** or its part. **...** Addressbook X **LDAP** allows you to share the contacts from your Addressbook with others using **...** The complete IDE for creating and managing databases from **SQL** scripts, **....** and **relational databases** without being exposed to the underlying technology. **...**
www.filetransit.com/files.php?name=Schema_Crawler-1-3 - Cached

85. Gnome **Partition** Editor 0.5.2 - Ordonnancement des traitements **...**

It exports consistent, referentially intact row-sets from **relational databases**. **...** It features a built-in database crawler that follows user-defined **SQL, ...** Changes: This release features a new location/category **mapping** for friendlier **....** LAM was designed to make **LDAP** management as easy as possible for the user. **...**
ordonnancement.org/gnome-**partition**-editor.../news690969.html - Cached

86. [PDF] data sheet

File Format: PDF/Adobe Acrobat - Quick View
Map Internet-based security protocols such as Digital IDs,. Lightweight Directory Access Protocol (**LDAP**) to mainframe security protocols such as IBM RACF and **....** Any **SQL**-Based **Relational Database** Management System. - Oracle 8.0, 8i, 9i **...**
www.microfocus.com/000/datasheet-enterpriselink_tcm21-8338.pdf

87. [PDF] Overview of Existing XML Storage Techniques

File Format: PDF/Adobe Acrobat - Quick View
by S Amer-Yahia - 2001 - Cited by 10 - Related articles
files, **relational database** management systems, object ori- **....** to **SQL** queries and contain select-project-join operations **....** check-ups, the XPath **expression**/patient/ (surgery | check-up) **...** **partitioning** the edge table into multiple tables based on **....** **Mapping** to **LDAP** should be explored further with more **...**
winslab.cnu.ac.kr/.../Overview%20of%20Existing%20XML%20Storage%20Techniques.
pdf

88. [PDF] Enterprise Notification System

File Format: PDF/Adobe Acrobat - Quick View
database **partition**. The only shared component between **partitions** is the phone ports
and ... (which fields from the source database **map** to the ENS Member database,
which records to look ... The source database can be MS **SQL** Server, Oracle,
LDAP, ... **SQL** Server Data Base. Industry standard **relational database**. ...
www.mutaresoftware.com/data/bp/ENS_Extended_Scope_of_Work.pdf

89. **sql** 64 bit download - freeware, shareware - X 64-bit Download

IMAP, IPsec, IPv4, IPv6, IPX, HSRP, **LDAP**, MS **SQL**, NCP, NDS, NetBIOS, NFS, ...
any **relational database** (including MySQL, PostgreSQL, Microsoft Access, **SQL** ...
www.x64bitdownload.com/64-bit-**sql**-downloads.html - Cached

90. MetaL - Metastorage - Object persistence API generator

Sep 19, 2007 ... persistence containers, like XML files, flat file **databases** or **LDAP**
servers. When storing objects in **SQL databases**, Metastorage generated code
performs efficient object-**relational mapping**. ... Provides an Object Query Language
(OQL) to define **expressions** to filter objects in search queries ...
www.meta-language.net/metastorage.html - Cached - Similar

91. VertFuture - Intellectual Capitalists

NET 2003/2005/2008, Microsoft SliverLight/Microsoft **Expression** Blend 2, ...
Microsoft BizTalk 2006 server, BizTalk **mapping**, orchestration and **SQL** adapter ...
iPlanet **LDAP** server was used to provide centralized configuration information. ....
Unify **relational database** is used through its backend database library. ...
www.vertfuture.com/consultants.php - Cached

92. Why would I ever choose to store and manipulate XML in a ...

E.g. you can apply XPath **expressions** and just send the filtered result set to the
client. .... Is Functional to Relational **mapping** easier than Object to Relational? ...
Relational database theory and **SQL** book recommendations? ... Choosing between a
directory server (a.k.a **LDAP** database) and an RDBMS ...
stackoverflow.com/.../why-would-i-ever-choose-to-store-and-manipulate-xml-in-a-
relational-database - Cached

93. [PDF] EmerLDAP

File Format: PDF/Adobe Acrobat - Quick View
Mapped columns These **SQL** column names will be mapped to **LDAP** attributes of the
same name. Primary Key ... Multi-valued attributes allow **mapping** multiple values of a
field to **LDAP**. In a **relational database** of tables ...

download.iea-software.com/EmeraldV5/docs/emer**ldap**.pdf

94. Taking the Step From Meta-information to Communication Middleware **...**

by B Plale - Cited by 2 - Related articles
a **mapping** from a relational schema to the specification and **... SQL** is the ANSI and
ISO standard query language for **relational databases**. A recent proposal ... like DNS
and the **LDAP**/X.500 protocols, has a procedu- .... junction of two select **expressions**.
The data records that sat- **...**
doi.ieeecomputersociety.org/10.1109/IPDPS.2001.925038

95. D2R Server – Publishing **Relational Databases** on the Semantic Web

Aug 10, 2009 **...** D2R Server uses a customizable D2RQ **mapping** to **map** database
content **...** Requests from the Web are rewritten into **SQL** queries via the **mapping**. ....
Annotated images of gene **expression** in fruitfly embryogenesis (Chris ... SquirrelRDF
provides SPARQL access to **relational databases** and **LDAP** directories. **...**
www4.wiwiss.fu-berlin.de/bizer/d2r-server/ - Cached - Similar

96. IT Search Engine vs. Log Consolidator – what's the difference **...**

Oct 23, 2005 **...** Most log consolidators are combinations of off-the-shelf GUI reporting,
rule-based monitoring & alerting, **relational databases**, ...
blogs.splunk.com/.../it-search-engine-vs-log-consolidator-whats-the-difference/
- Cached

97. **[PDF]** Liberty ID-SIS Contact Book Service Implementation Guidelines

File Format: PDF/Adobe Acrobat - Quick View
by G Lambert - Related articles
the fly or fetched from a directory ([**LDAP**]) or **relational database** (**SQL**) server and
formatted into XML only for the **...** The **expression** "most general" means that a
document could fully instantiate that schema if all data has .... **Mapping** with vCard 2.1,
vCard 3.0, vCard Jabber, and vCard RDF **...**
www.projectliberty.org/.../draft-liberty-id-sis-contactbook-guidelines-v1.0-06.pdf - Similar

98. Showcase List

Parsing **SQL** with ANTLR 3.0 to customize the commands for different **...** Frysk uses
ANTLR to generate a lexer and parser for the **expression** evaluator. .... **LDAP**
Information Resource index : Makign **LDAP** based infrastructures easy to develop and
maintain **...** Genome is an object **relational mapping** framework for . **...**
www.antlr.org/showcase/list - Cached - Similar

99. PostgreSQL: Documentation: Manuals: PostgreSQL 8.2: Index

in libpq, Escaping Binary Strings for Inclusion in **SQL** Commands .... see **database** cluster. data **partitioning**, High Availability and Load Balancing; data type, Data Types .... **LDAP** connection parameter lookup, **LDAP** Lookup of Connection Parameters ... max_fsm_relations configuration parameter, Free Space **Map** ...
www.postgre**sql**.org/docs/8.2/static/bookindex.html - Cached - Similar

100. MySQL :: MySQL Newsletter October 2009

PlanetMySQL Blog: Rolling Time-based **Partitions**; PlanetMySQL Blog: Free and easy .... With MySQL as Cybertip.ca's **relational database** of choice, the Canadian Centre is ... both **LDAP** and **SQL** (or the NDB-API or any of the MySQL connectors). ... as well as an overview of migration tools, scripts and datatype **mapping**. ...
www.my**sql**.com/news-and-events/newsletter/2009/2009-10.html - Cached

Goooooooogle▶
1 2 3 4 5 6 7 8   Next

| ldap mapping sql relational database partitioning expression | Search |

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

---

Google Home - Advertising Programs - Business Solutions - Privacy - About Google